

A SPLITTER'S GUIDE TO THE HIGHER TAXA OF THE FLOWERING PLANTS (MAGNOLIOPHYTA) GENERALLY ARRANGED TO FOLLOW THE SEQUENCE PROPOSED BY THORNE (1992) WITH CERTAIN MODIFICATIONS

James L. Reveal

Department of Botany, University of Maryland, College Park, Maryland
20742-5815 U.S.A.

ABSTRACT

Using the most recent system of classification for flowering plants (Magnoliophyta) proposed by Thorne (1992b) and generally following his sequence of names but with the addition of the family names now in current use, a family system is proposed that purposefully splits the subclasses, superorders, orders, and families into small units thereby constructing a "splitter's" guide to the higher taxa of Magnoliophyta. The resulting classification recognizes 14 subclasses, 63 superorders, 248 orders, and 685 families.

KEY WORDS: Magnoliophyta, nomenclature, classification.

INTRODUCTION

Since 1959, considerable attention has been given to the classification of the flowering plants, with a large number of taxa recognized (Bedell & Reveal 1982a, b; Benson 1957; Boivin 1956; Brummitt 1992; Cronquist 1957, 1961, 1968, 1981, 1988; Cronquist *et al.* 1966; G. Dahlgren 1989a, b; R. Dahlgren 1975, 1980, 1983; R. Dahlgren & Bremer 1985; R. Dahlgren & Clifford 1982; R. Dahlgren *et al.* 1981, 1985; Deyl 1955; Dostál 1957; Ehrendorfer 1983; Engler 1964; Erdtman 1952, 1966; Gibbs 1974; Goldberg 1986, 1989; Gunn *et al.* 1992; Heywood 1978; Huber 1969; Hutchinson 1959, 1969, 1973; Kimura 1953, 1956; Mabberley 1987; Novák 1954, 1961; Pulle 1952; Rouleau 1981; Soó 1953, 1961, 1967; Stebbins, 1974; Takhtajan 1959, 1970, 1973, 1980, 1983, 1985, 1986, 1987; Thorne 1974, 1976, 1977, 1981, 1983, 1992a, 1992b; Willis 1973). Concomitant with this attention has been the realization that botanical

nomenclature ought to be stabilized as much as possible insofar as nomenclatural matters are concerned. As a result, the botanical community is now considering the concept of "names in current use" (NCU), and to that end, lists of proposed names have been circulated for comment in anticipation of a formal publication of protected names in early 1993.

My own efforts on this task have concentrated on vascular plant family names in collaboration with Dr. Ruurd D. Hoogland of the Laboratoire de Phanérogamie, Muséum National d'Histoire naturelle in Paris. To ascertain the taxonomic impact of protecting family names, we have worked closely with Richard K. Brummitt (K), the late Arthur Cronquist (NY), Aaron Goldberg (US), Armen L. Takhtajan (LE), Robert F. Thorne (RSA), and John Wiersema (USDA). To that end we have been able to resolve potential nomenclatural conflicts. The need to resolve the nomenclatural morass above the rank of family is no less important than that at the family rank and below, and while priority is not required above the rank of family, the need to have validly published names is mandated (Reveal 1992a, 1992b, 1993) and the need for a stabilized nomenclature even at these higher ranks is gradually being recognized.

In the following summary of the flowering plants (Magnoliophyta), I have adopted the general scheme proposed by Thorne (1992b), and included therein all of the proposed NCU family names. To this I have added class, subclass, superordinal, and ordinal names. I have adopted 1966 as the starting date for subclass and superordinal names, and 1789 as the starting date for ordinal and family names. To Thorne's linear arrangement of superorders, orders and families, I have added the rank of subclass used by Cronquist (1981) and Takhtajan (1987). Furthermore, as the family list accounts for all family names now in current use, I have also attempted to include all subclass, superordinal, and ordinal names now in current use. The philosophy behind the application of priority to these higher names is outlined elsewhere (Reveal 1993).

The consequences of adopting, or not adopting, the proposal put forth by Greuter (1991) regarding "names in current use" (NCU) are not all that serious insofar as flowering plant family names because so many of these names are already protected (Reveal & Hoogland, 1991). Conservation, as traditionally applied to flowering plant family names, has been to ensure that certain names are used instead of others, but not authorship or place of publication. Greuter's proposal would now protect the bibliographic information as well. Should the NCU proposals fail, we will have to editorially correct the authorship and/or bibliographic references of nearly 125 currently conserved family names on Appendix IIB of the *Code* (Greuter *et al.* 1988). And, as may be seen from the catalogue below, if the NCU proposals fail there will be a need to conserve at least ten additional names just to retain certain nonconserved names now in current use.

CATALOGUE OF THE HIGHER TAXA OF MAGNOLIOPHYTA
Magnoliophyta Cronquist, Takhtajan, & Zimmermann, 1966

Magnoliopsida Cronquist, Takhtajan, & Zimmermann, 1966

- I. **Magnoliidae** Novák *ex* Takhtajan, 1967
 - A. **Magnolianae** Takhtajan, 1967
 1. **Winterales** A.C. Smith *ex* Reveal
 1. **Winteraceae** R. Brown *ex* Lindley, 1830, *nom. cons.*
 2. **Takhtajaniaceae** (J. Leroy) J. Leroy, 1980
 2. **Illiciales** H.-H. Hu *ex* Cronquist, 1981
 3. **Illiciaceae** (Candolle) A.C. Smith, 1947, *nom. cons.*
 4. **Schisandraceae** Blume, 1830, *nom. cons.*
 3. **Magnoliales** Bromhead, 1837
 5. **Magnoliaceae** A.L. Jussieu, 1789, *nom. cons.*
 6. **Liriodendraceae** Barkley, 1975
 7. **Degeneriaceae** I. Bailey & A.C. Smith, 1942, *nom. cons.*
 8. **Himantandraceae** Diels, 1917, *nom. cons.*
 4. **Eupomatiiales** Takhtajan *ex* Reveal, 1992
 9. **Eupomatiaceae** Endlicher, 1841, *nom. cons.*
 5. **Annonales** Lindley, 1833
 10. **Annonaceae** A.L. Jussieu, 1789, *nom. cons.*
 - Hornschuchiaceae** J. Agardh, 1858

Monodoraceae J. Agardh, 1858

6. **Aristolochiales** Dumortier, 1829
 - Asarales** Burnett, 1835
 11. **Aristolochiaceae** A.L. Jussieu, 1789, *nom. cons.*
 - Asaraceae** Ventenat, 1799
 12. **Myristicaceae** R. Brown, 1810, *nom. cons.*
 7. **Canellales** Cronquist, 1957
 13. **Canellaceae** C. Martius, 1832, *nom. cons.*
 - Winteranaceae** Warburg, 1895
 8. **Austrobaileyales** Takhtajan *ex* Reveal, 1992
 14. **Austrobaileyaceae** (Croizat) Croizat, 1943, *nom. cons.*
 9. **Monimiales** Dumortier, 1829
 15. **Amborellaceae** Pichon, 1948, *nom. cons.*
 16. **Trimeniaceae** (Janet R. Perkins & Gilg) Gibbs, 1917, *nom. cons.*
 17. **Hortoniaceae** (Janet R. Perkins) A.C. Smith, 1971
 18. **Monimiaceae** A.L. Jussieu, 1809, *nom. cons.*
 19. **Atherospermataceae** R. Brown, 1814
 20. **Siparunaceae** (A. de Candolle) Schodde, 1970
 21. **Gomortegaceae** Reiche, 1896, *nom. cons.*
 10. **Calycanthales** C. Martius, 1835
 22. **Idiospermaceae** S.T. Blake,

- 1972
23. Calycanthaceae Lindley, 1819, *nom. cons.*
- Chimonanthaceae* Perleb, 1838
- Butneriaceae* Barnhart, 1895, *nom. illeg.*
11. Laurales Perleb, 1826
24. Lauraceae A.L. Jussieu, 1789, *nom. cons.*
- Perseaceae* Horaninow, 1834
25. Cassythaceae Bartling ex Lindley, 1833, *nom. cons.*
26. Hernandiaceae Blume, 1826, *nom. cons.*
- Illiciaceae* Blume, 1833
12. Gyrocarpales Dumortier, 1829
27. Gyrocarpaceae Dumortier, 1829.
13. Chloranthales Conzatti & L.C. Smith ex Reveal, 1992
28. Chloranthaceae Blume, 1827, *nom. cons.*
- Hedyosmaceae* Caruel, 1881
14. Lactoridales Takhtajan ex Reveal, 1992
29. Lactoridaceae Engler, 1888, *nom. cons.*
15. Piperales Dumortier, 1829
30. Saururaceae Richard ex E. Meyer, 1927, *nom. cons.*
31. Piperaceae C. Agardh, 1824, *nom. cons.*
32. Peperomiaceae A.C. Smith, 1981
- B. Nelumbonanae Takhtajan ex Reveal, 1992
16. Ceratophyllales Bischoff, 1840
33. Ceratophyllaceae Gray, 1821, *nom. cons.*
17. Nelumbonales Burnett, 1835
34. Nelumbonaceae (Candolle) Dumortier, 1829, *nom. cons.*
- C. Nymphaeanae Thorne ex Re-
- veal, 1992
18. Nymphaeales Dumortier, 1829
- Euryalales* H.L. Li, 1955
35. Cabombaceae A. Richard, 1828, *nom. cons.*
- Hydropeltidaceae* (Candolle) Dumortier, 1822
36. Nymphaeaceae R.A. Salisbury, 1805, *nom. cons.*
37. Euryalaceae J. Agardh, 1858.
38. Barclayaceae H.L. Li, 1955
- D. Rafflesiana Thorne ex Reveal, 1992
19. Hydnorales Takhtajan ex Reveal, 1992
39. Hydnoraceae C. Agardh, 1821, *nom. cons.*
20. Mitrastemonales Makino, 1911
40. Mitrastemonaceae Makino, 1911, *nom. cons.*
21. Rafflesiales Oliver, 1895
- Cytinales* Dumortier, 1829
41. Cyttinaceae (Brongniart) A. Richard, 1824
42. Apodanthaceae (R. Brown) Tieghem ex Takhtajan, 1987
43. Rafflesiaceae Dumortier, 1829, *nom. cons.*
- II. Ranunculidae Takhtajan ex Reveal, 1992
- E. Ranunculanae Takhtajan ex Reveal, 1992
22. Paeoniales Heintze, 1927
44. Paeoniaceae F. Rudolphi, 1830, *nom. cons.*
23. Glaucomiales Takhtajan ex Reveal, 1992
45. Glaucomiaceae Tamura, 1972
24. Menispermatales Bromhead, 1838

46. Menispermaceae A.L. Jussieu, 1789, *nom. cons.*
- Pseliaceae* Rafinesque, 1838
47. Lardizabalaceae Decaisne, 1839, *nom. cons.*
48. Sargentodoxaceae Stapf ex Hutchinson, 1926, *nom. cons.*
25. Podophyllales Dumortier, 1829
49. Podophyllaceae Candolle, 1821, *nom. cons.*
- Diphyllieaceae* Schultz-Schultzenstein, 1832
50. Leonticaceae Berchtold & J. Presl, 1820
26. Berberidales Dumortier, 1829
51. Berberidaceae A.L. Jussieu, 1789, *nom. cons.*
52. Nandinaceae Horaninow, 1834.
27. Ranunculales Dumortier, 1829
Helleborales Nakai, 1949)
53. Hydrastidaceae Martinov, 1820.
54. Thalictraceae Rafinesque, 1815
55. Ranunculaceae A.L. Jussieu, 1789, *nom. cons.*
- Anemonaceae* Vest, 1818
- Clematidaceae* Martinov, 1820
56. Helleboraceae Vest, 1818
Calthaceae Martinov, 1820
- Actaeaceae* Rafinesque, 1828
- Nigellaceae* J. Agardh, 1858
57. Circaeasteraceae Hutchinson, 1926, *nom. cons.*
58. Kingdoniaceae A.S. Foster ex Airy Shaw, 1965
28. Papaverales Dumortier, 1829
59. Chelidoniaceae Martinov, 1820
60. Eschscholtziaceae Seringe,
- 1847
61. Papaveraceae A.L. Jussieu, 1789, *nom. cons.*
62. Platystemonaceae (W.R. Ernst) A.C. Smith, 1971
63. Pteridophyllaceae (Murbeck) Nakai ex Reveal & Hoogland, 1991
64. Hypcoaceae H.M. Willkomm & J.M.C. Lange, 1880
65. Fumariaceae Candolle, 1821, *nom. cons.*
- Corydalaceae* Giseke, 1792, *nom. illeg.*
- III. Caryophyllidae Takhtajan, 1967
- F. Caryophyllanae Takhtajan, 1967
29. Caryophyllales Perleb, 1826
Scleranthales Dumortier, 1829
Sileneales Lindley, 1833
Dianthales Burnett, 1835
66. Alsinaceae (Candolle) Bartling, 1825, *nom. cons.*
- Stellariaceae* Dumortier, 1822
67. Illecebraceae R. Brown, 1810, *nom. cons.*
- Paronychiaceae* A.L. Jussieu, 1815
- Scleranthaceae* Berchtold & J. Presl, 1820
- Herniariaceae* Martinov, 1820
68. Caryophyllaceae A.L. Jussieu, 1789, *nom. cons.*
- Cerastiaceae* Vest, 1818
- Dianthaceae* Vest, 1818
- Ortegaceae* Martinov, 1820
- Telephianceae* Martinov, 1820
- Saginaceae* Sprengel ex Weinmann, 1824
- Silenaceae* (Candolle) Bartling, 1825
30. Portulacales Dumortier, 1829
69. Portulacaceae A.L. Jussieu, 1789, *nom. cons.*

- Montiaceae* Rafinesque, 1820
 70. *Hectorellaceae* Philipson & Skipworth, 1961
 71. *Basellaceae* Moquin-Tandon, 1840, *nom. cons.*
Anrederaceae J. Agardh, 1858
Ullucaceae Nakai, 1942
 72. *Didiereaceae* Drake, 1903, *nom. cons.*
 31. *Cactales* Dumortier, 1829
Opuntiales Willkomm, 1854
 73. *Cactaceae* A.L. Jussieu, 1789, *nom. cons.*
Opuntiaceae Martinov, 1820
Cereaceae Candolle & Sprengel, 1821
 32. *Nyctaginales* Dumortier, 1829
Petiveriales Lindley, 1833
 74. *Phytolaccaceae* R. Brown, 1818, *nom. cons.*
Sarcocaceae Rafinesque, 1837
 75. *Gisekiaceae* (Endlicher) Nakai, 1942
 76. *Petiveriaceae* C. Agardh, 1824
Rivinaceae C. Agardh, 1824
Hilleriaceae Nakai, 1942
Seguieriaceae Nakai, 1942
 77. *Agdestidaceae* Nakai, 1942
 78. *Barbeuiaceae* Nakai, 1942
 79. *Achatocarpaceae* Heimerl, 1934, *nom. cons.*
 80. *Stegnospermataceae* (A. Richard) Nakai, 1942
 81. *Nyctaginaceae* A.L. Jussieu, 1789, *nom. cons.*
Jalapaceae Batsch, 1802
Allioniaceae Horaninow, 1834
Bougainvilleaceae J. Agardh, 1858
Pisoniaceae J. Agardh, 1858
Mirabilidaceae W. Oliver, 1936
 82. *Aizoaceae* F. Rudolphi,
- 1830, *nom. cons.*
Ficoideaceae A.L. Jussieu, 1789
Galeniaceae Rafinesque, 1819
Sesuviacetaceae Horaninow, 1834
 83. *Mesembryanthemaceae* Fenzl 1836
Mesembryaceae Dumortier, 1829
nom. illeg.
 84. *Tetragoniaceae* Nakai, 1942, *nom. cons.*
 85. *Halophytaceae* Soriano, 1984
 86. *Molluginaceae* Hutchinson, 1926, *nom. cons.*
Pharnaceaceae Martinov, 1820
Corrigiolaceae (Dumortier) Dumortier, 1829
Glinaceae Dumortier, 1829
Adenogrammaceae (Fenzl) Nakai 1942
Polpodaceae (Fenzl) Nakai, 1942
 33. *Chenopodiales* Dumortier, 1829
Atriplicales Horaninow, 1847
 87. *Dysphaniaceae* Pax, 1927, *nom. cons.*
 88. *Chenopodiaceae* Ventenat, 1799, *nom. cons.*
Atriplicaceae A.L. Jussieu, 1789
Corispermaceae Link, 1829
Betaceae Burnett, 1835
Blitaceae Adanson ex Post & Kuntze, 1903
 89. *Salicorniaceae* Martinov, 1820
 90. *Salsolaceae* Moquin-Tandon, 1849
 34. *Amaranthales* Dumortier, 1829
 91. *Amaranthaceae* A.L. Jussieu, 1789, *nom. cons.*
Celosiaceae Martinov, 1820
Achyranthaceae Rafinesque, 1837

- Gomphrenaceae* Rafinesque, 1837
Deeringiaceae J. Agardh, 1858
 IV. *Dilleniidae* Takhtajan *ex Reveal & Takhtajan*, 1993
G. Dillenianae Takhtajan *ex Reveal & Takhtajan*, 1993
 35. *Dilleniales* Hutchinson, 1924
 92. *Dilleniaceae* R.A. Salisbury, 1807, *nom. cons.*
Soramiaceae Martinov, 1820
Hibbertiaceae J. Agardh, 1858
 36. *Actinidiales* Takhtajan *ex Reveal*, 1992
 93. *Actinidiaceae* Hutchinson, 1926, *nom. cons.*
 94. *Saurauiaceae* J. Agardh, 1858, *nom. cons.*
 37. *Paracryphiales* Takhtajan *ex Reveal*, 1992
 95. *Paracryphiaceae* Airy Shaw, 1965
 H. *Theanae* Thorne *ex Reveal*, 1992
 38. *Theales* Lindley, 1833
Camelliaceae Burnett, 1835
 96. *Stachyuraceae* J. Agardh, 1858, *nom. cons.*
 97. *Theaceae* D. Don, 1825, *nom. cons.*
Camelliaceae Candolle, 1816
Ternstroemiaceae Mirbel *ex Candolle*, 1816
Gordoniaceae (Candolle) Sprengel, 1826
Malachodendraceae J. Agardh, 1858, *nom. illeg.*
 98. *Sladeniaceae* (Gilg & Wermann) Airy Shaw, 1965
 99. *Asteropeiaceae* (Szyszlowicz) Takhtajan *ex Reveal & Hoogland*, 1990.
 100. *Tetrameristaceae* Hutchinson, 1959
 101. *Pellicieraceae* (Triana &
- Planchon*) L. Beauvisage *ex Bullock*, 1959
 102. *Chrysobalanaceae* R. Brown, 1818, *nom. cons.*
Licaniaceae Martinov, 1820
Hirtellaceae Horaninow, 1847
 103. *Symplocaceae* Desfontaines, 1820, *nom. cons.*
 104. *Caryocaraceae* Szyszlowicz, 1893, *nom. cons.*
Rhizobolaceae Candolle, 1824, *nom. illeg.*
 105. *Marcgraviaceae* Choisy, 1824, *nom. cons.*
 106. *Oncothecaceae* Kobuski *ex* Airy Shaw, 1965
 39. *Aquifoliales* Senft, 1856
 107. *Aquifoliaceae* Bartling, 1830, *nom. cons.*
Illiciaceae Berchtold & J. Presl, 1820
 108. *Phellinaceae* (Loesener) Takhtajan, 1967
 109. *Sphenostemonaceae* P. Royen & Airy Shaw, 1972
 40. *Ochnales* Hutchinson *ex Reveal*, 1992
 110. *Lophraceae* Loudon, 1830
 111. *Sauvagesiaceae* (Gingins *ex* Candolle) Dumortier, 1829
 112. *Ochnaceae* Candolle, 1811, *nom. cons.*
Gomphiacae Candolle *ex* Schnizlein, 1843-1870
Luxemburgiaceae Tieghem *ex* Solereder, 1908
 113. *Quinaceae* Choisy *ex* Engler, 1888, *nom. cons.*
 114. *Scytopetalaceae* Engler, 1897, *nom. cons.*
Rhaptopetalaceae Tieghem *ex* Solereder, 1908
 115. *Strasburgeriaceae* En-

- gler & Gilg, 1924, *nom. cons.*
41. *Medusagynales* Brenan, 1952
116. *Medusagynaceae* Engler
& Gilg, 1924, *nom. cons.*
42. *Ancistrocladales* Takhtajan
ex Reveal, 1992
117. *Ancistrocladaceae* Plan-
chon *ex* Walpers, 1851, *nom.*
cons.
43. *Dioncophyllales* Takhtajan
ex Reveal, 1993
118. *Dioncophyllaceae* (Gilg)
Airy Shaw, 1952, *nom. cons.*
44. *Hypericales* Dumortier, 1829
119. *Bonnetiaceae* (Bartling)
L. Beauvisage *ex* Nakai, 1948
120. *Clusiaceae* Lindley, 1836,
nom. cons.
- Guttiferae* A.L. Jussieu, 1789,
nom. cons.; *nom. alt.*
- Garciniaceae* Bartling, 1830
- Cambogiaceae* Horaninow, 1834
- Calophyllaceae* J. Agardh, 1858
121. *Hypericaceae* A.L. Jussieu,
1789, *nom. cons.*
- Ascyraceae* Plenck, 1796
45. *Elatinales* Nakai, 1949
122. *Elatinaceae* Dumortier,
1829, *nom. cons.*
- Cryptaceae* Rafinesque, 1820
- Alsinastraceae* Ruprecht *ex* Bu-
bani, 1901
- I. *Nepenthanae* Takhtajan *ex* Re-
veal, 1992
46. *Nepenthales* Dumortier, 1829
123. *Nepenthaceae* Dumortier,
1829, *nom. cons.*
- J. *Lecythidanae* Takhtajan *ex* Re-
veal, 1992
47. *Lecythidales* Cronquist, 1957
124. *Barringtoniaceae* F. Rudol-
phi, 1830, *nom. cons.*
125. *Foetidaceae* (Nidenzu)
- Airy Shaw, 1965
126. *Napoleonaeaceae* A. Rich-
ard, 1827
- Belvisiaceae* R. Brown, 1821,
nom. illeg.
127. *Lecythidaceae* Poiteau,
1825, *nom. cons.*
- Gustaviaceae* Burnett, 1835
128. *Asteranthaceae* Knuth,
1939, *nom. cons.*
- K. *Sarracenianae* Thorne *ex* Re-
veal, 1992
48. *Sarraceniales* Bromhead, 1838
129. *Sarraciaceae* Dumortier,
1829, *nom. cons.*
- 129a. *Heliamphoraceae* Chrtak,
Slavíková, & Studicka, 1992
- L. *Ericanae* Takhtajan, 1967
49. *Ericales* Dumortier, 1829
Vacciniales Dumortier, 1829
130. *Pentaphylacaceae* En-
gler, 1897, *nom. cons.*
131. *Clethraceae* Klotzsch, 1851,
nom. cons.
132. *Cyrillaceae* Endlicher,
1841, *nom. cons.*
133. *Ericaceae* A.L. Jussieu,
1789, *nom. cons.*
- Rhododendraceae* A.L. Jussieu,
1789
- Rhodoraceae* Ventenat, 1799
- Azaleaceae* Vest, 1818
- Ledaceae* Link, 1821
- Menziesiaceae* Klotzsch, 1851
- Salaxidaceae* J. Agardh, 1858
- Diplarchaceae* Klotzsch, 1860
134. *Vacciniaceae* Candolle *ex*
Gray, 1821, *nom. cons.*
- Andromedaceae* (Endlicher) Schni-
zlein, 1843-1870
- Siphonandraceae* Klotzsch, 1851,
nom. illeg.
- Arbutaceae* J. Agardh, 1858

- Arctostaphylaceae* J. Agardh, 1858
135. *Pyrolaceae* Dumortier, 1829, *nom. cons.*
136. *Monotropaceae* Nuttall, 1818, *nom. cons.*
- Hypopityaceae* Link, 1829
137. *Epacridaceae* R. Brown, 1810, *nom. cons.*
- Stypheliaceae* Horaninow, 1834
138. *Prionotaceae* Hutchinson, 1969
50. *Empetrales* Nakai, 1930
139. *Empetraceae* Gray, 1821, *nom. cons.*
51. *Fouquieriales* Takhtajan *ex* Reveal, 1992
140. *Fouquieriaceae* Candolle, 1828, *nom. cons.*
52. *Ebenales* Engler, 1892
- Diospyrales* Prantl, 1874
141. *Ebenaceae* Gürcke, 1891, *nom. cons.*
- Guaiacanaceae* A.L. Jussieu, 1789
- Diospyraceae* Vest, 1818
142. *Lissocarpaceae* Gilg, 1924, *nom. cons.*
53. *Styracales* Burnett, 1835
143. *Styracaceae* Dumortier, 1829, *nom. cons.*
- Halesiaceae* D. Don, 1828
54. *Sapotales* J.D. Hooker, 1868
144. *Sapotaceae* A.L. Jussieu, 1789, *nom. cons.*
- Achradaceae* Vest, 1818
- Bumeliaceae* Barnhart, 1895
145. *Boerlagellaceae* H.J. Lam, 1925
146. *Sarcospermataceae* H.J. Lam, 1925, *nom. cons.*
- M. *Primulanae* R. Dahlgren *ex* Reveal, 1992
55. *Myrsinales* Bromhead, 1838
147. *Theophrastaceae* Link, 1829, *nom. cons.*
148. *Myrsinaceae* R. Brown, 1810, *nom. cons.*
- Ardisiaceae* A.L. Jussieu, 1810
- Embeliaceae* J. Agardh, 1858
149. *Aegicerataceae* Blume, 1833
56. *Primulales* Dumortier, 1829
- Samolales* Dumortier, 1829
150. *Primulaceae* Ventenat, 1799, *nom. cons.*
- Lysimachiaceae* A.L. Jussieu, 1789
- Anagallidaceae* Batsch *ex* Borckhausen, 1797
- Samolaceae* Rafinesque, 1820
151. *Coridaceae* J. Agardh, 1858
- N. *Plumbaginanae* Takhtajan *ex* Reveal, 1992
57. *Plumbaginales* Lindley, 1833
152. *Plumbaginaceae* A.L. Jussieu, 1789, *nom. cons.*
153. *Aegialitidaceae* Linczevski, 1968
154. *Limoniaceae* Seringe, 1851, *nom. cons. prop.*
- Staticaceae* Cassel, 1817
- Armeriaceae* Horaninow, 1834
- O. *Polygonanae* Takhtajan *ex* Reveal, 1992
58. *Polygonales* Dumortier, 1829
155. *Polygonaceae* A.L. Jussieu, 1789, *nom. cons.*
- Romicaceae* Martinov, 1820
- Eriogonaceae* (Dumortier) Meisner, 1841
- Persicariaceae* Adanson *ex* Post & Kuntze, 1903
156. *Calligonaceae* Chalkuziev, 1985
- P. *Celastranae* Takhtajan, 1967

59. Celastrales Baskerville, 1839
 157. Celastraceae R. Brown, 1814, *nom. cons.*
Euonymaceae A.L. Jussieu *ex* Berchtold & J. Presl, 1820
Chingithamnaceae Handel-Mazzetti, 1932
 158. Canotiaceae Airy Shaw, 1965
 159. Hippocrateaceae A.L. Jussieu, 1811, *nom. cons.*
Salaciaceae Rafinesque, 1838
 160. Siphonodontaceae (Croizat) Gagnepain & Tardieu *ex* Tardieu, 1951, *nom. cons.*
 161. Pottingeriaceae (Engler) Takhtajan, 1987
 162. Goupiaceae Miers, 1862
 163. Lophopyxidaceae (Engler) H. Pfeiffer, 1951
 164. Stackhousiaceae R. Brown, 1814, *nom. cons.*
 Q. Malvanae Takhtajan, 1967
 60. Malvales Dumortier, 1829
Tiliaceae Hutchinson, 1924
 165. Sterculiaceae (Candolle) Bartling, 1830, *nom. cons.*
Triplobaceae Rafinesque, 1838
 166. Byttneriaceae R. Brown, 1814, *nom. cons.*
Hermanniae Berchtold & J. Presl, 1820
Lasiopetalaceae Reichenbach, 1823
Dombeaceae (Candolle) Bartling, 1830
Fremontiaceae J. Agardh, 1858
Helicteraceae J. Agardh, 1858
Melochiaceae J. Agardh, 1858
Theobromataceae J. Agardh, 1858
Chiranthodendraceae A. Gray, 1887
Cacaoaceae Augier *ex* Post &
 Kuntze, 1903
 167. Huaceae A. Chevalier, 1947
 168. Elaeocarpaceae A.L. Jussieu *ex* Candolle, 1824, *nom. cons.*
Aristoteliaceae Dumortier, 1829
 169. Plagiopteraceae Airy Shaw, 1965
 170. Tiliaceae A.L. Jussieu, 1789, *nom. cons.*
Sparmanniaceae J. Agardh, 1858
 171. Monotaceae (Gilg) Maury *ex* Takhtajan, 1987.
 172. Dipterocarpaceae Blume, 1825, *nom. cons.*
 173. Sarcolaenaceae Caruel, 1881, *nom. cons.*
Schizolaenaceae Barnhart, 1895
Rhodolaenaceae Bullock, 1958
 174. Diegodendraceae Capuron, 1964
 175. Sphaerosepalaceae Tieghem *ex* Bullock, 1959
Rhopalocarpaceae Hemsley *ex* Takhtajan, 1987
 176. Bombacaceae Kunth, 1822, *nom. cons.*
 177. Malvaceae A.L. Jussieu, 1789, *nom. cons.*
Philippodendraceae Endlicher, 1841
Fugosiaceae Martinov, 1820, *nor illeg.*
Hibiscaceae J. Agardh, 1858
Plagianthaceae J. Agardh, 1858
 R. Urticaceae Takhtajan *ex* Reveal, 1992
 61. Ulmales Lindley, 1833
Ficales Dumortier, 1829
 178. Ulmaceae Mirbel, 1815, *nom. cons.*
 179. Celtidaceae Link, 1831
 180. Moraceae Link, 1831,

- nom. cons.*
- Artocarpaceae R. Brown, 1818
- Dorsteniaceae Chevallier, 1827
- Ficaceae (Dumortier) Dumortier, 1829
181. Cecropiaceae C.C. Berg, 1978
62. Urticales Dumortier, 1829
182. Urticaceae A.L. Jussieu, 1789, *nom. cons.*
183. Cannabaceae Endlicher, 1837, *nom. cons.*
- Lupulaceae Link, 1829
63. Barbeyales Takhtajan *ex* Reveal & Takhtajan, 1993
184. Barbeyaceae Rendle, 1916, *nom. cons.*
5. Rhamnales Takhtajan *ex* Reveal, 1992
64. Rhamnales Dumortier, 1829
185. Rhamnaceae A.L. Jussieu, 1789, *nom. cons.*
- Frangulaceae Candolle, 1805
- Gouaniaceae Rafinesque, 1837
- Phyllaceae J. Agardh, 1858
- Ziziphaceae Adanson *ex* Post & Kuntze, 1903
65. Elaeagnales Bromhead, 1838
186. Elaeagnaceae A.L. Jussieu, 1789, *nom. cons.*
- Hippophaeaceae G. Meyer, 1836
- E. Euphorbiales Takhtajan *ex* Reveal, 1992
66. Euphorbiales Lindley, 1833
- Crotonales Horaninow, 1847
187. Euphorbiaceae A.L. Jussieu, 1789, *nom. cons.*
- Tithymalaceae Ventenat, 1799
- Mercurialaceae Martinov, 1820
- Ricinaceae Martinov, 1820
- Trewiaceae Lindley, 1836
- Tragiaceae Rafinesque, 1838
- Acalyphaceae J. Agardh, 1858
- Bertyaceae J. Agardh, 1858
- Crotonaceae J. Agardh, 1858
- Hippomanaceae J. Agardh, 1858
- Ricinocarpaceae (Müller arg.) Hurusawa, 1954
188. Phyllanthaceae J. Agardh, 1858
- Scepaceae Lindley, 1836
- Aporusaceae Lindley *ex* Miquel, 1859
- Porantheraceae (Pax) Hurusawa, 1954
189. Picrodendraceae J.K. Small *ex* Britton & Millspaugh, 1920, *nom. cons.*
- Pseudanthaceae Endlicher, 1839
- Micranthaceae J. Agardh, 1858
- Paivaeusaceae Meeuse, 1990
190. Androstachyaceae Airy Shaw, 1965
191. Bischofiaceae (Müller arg.) Airy Shaw, 1965
192. Hymenocardiacae Airy Shaw, 1965
193. Peraceae Klotzsch, 1859
194. Putranjivaceae Endlicher, 1841
195. Stilaginaceae J. Agardh, 1824
- Antidesmataceae Loudon, 1830
196. Uapacaceae (Müller arg.) Airy Shaw, 1965
67. Pandales Engler & Gilg, 1912-1913
197. Pandaceae Engler & Gilg, 1913, *nom. cons.*
- Bennettiaceae R. Brown *ex* Schnizlein, 1843-1870, *nom. illeg.*
198. Dichapetalaceae Baillon, 1886, *nom. cons.*
- Chailletiaceae R. Brown, 1818
68. Simmondsiales Reveal, 1992
199. Simmondsiaceae (Müller

- arg.) Tieghem *ex* Reveal & Hoogland, 1990.
69. Thymelaeales Willkomm, 1854
Daphnales Lindley, 1833
200. Gonystylaceae Gilg, 1897,
nom. cons.
201. Aquilariaeae R. Brown,
1818
202. Thymelaeaceae A.L. Jussieu,
1789, *nom. cons.*
Daphnaceae Ventenat, 1799
Phaleriaceae Meisner, 1841
- U. Violanae R. Dahlgren *ex* Reveal, 1992
70. Cistales H.G.L. Reichenbach,
1828
Bizales Lindley, 1833
203. Bixaceae Link, 1831, *nom. cons.*
204. Cochlospermaceae Planchon, 1847, *nom. cons.*
205. Cistaceae A.L. Jussieu,
1789, *nom. cons.*
Helianthemaceae G. Meyer, 1836
71. Violales Perleb, 1826
206. Violaceae Batsch, 1802,
nom. cons.
Ionidiaceae Mertens & Koch,
1823
Leoniaceae A. de Candolle, 1844
Alsodeiaceae J. Agardh, 1858
72. Samydales Dumortier, 1829
Homalioides Bromhead, 1838
Flacourtioides Heintze, 1927
207. Berberidopsidaceae (Veldkamp) Takhtajan, 1985.
208. Aphloiaceae Takhtajan,
1985
209. Flacourtiaceae Richard *ex* Candolle, 1824, *nom. cons.*
Prockiaceae Bertuch, 1801
Homaliaceae R. Brown, 1818
210. Samydaceae Ventenat,
- 1808, *nom. cons.*
Blakwelliaceae Lestiboudois, 1826
nom. illeg.
211. Kiggellariaceae Link, 1831
Pangiaceae Endlicher, 1841
73. Lacistemaes Baskerville,
1839
212. Lacistemaes C. Martius, 1826, *nom. cons.*
213. Dipentodontaceae Merrill, 1941, *nom. cons.*
214. Peridiscaceae Kuhlmann, 1950, *nom. cons.*
215. Scyphostegiaceae Hutchinson, 1926, *nom. cons.*
74. Passiflorales Dumortier, 1829
216. Passifloraceae A.L. Jussieu *ex* Kunth, 1817, *nom. cons.*
Paropsiaceae Dumortier, 1829
Smeathmanniaceae C. Martius *ex* Perleb, 1838
Modeccaceae Horaninow, 1847
217. Malesherbiaceae D. Don, 1827, *nom. cons.*
218. Achariaceae H. Harms, 1897, *nom. cons.*
75. Turneriales Dumortier, 1829
219. Turneraceae Kunth *ex* Candolle, 1828, *nom. cons.*
Piriquetaceae Martinov, 1820
76. Caricales L. Benson, 1957
220. Caricaceae Dumortier, 1829, *nom. cons.*
Papayaceae Blume, 1823, *nom. illeg.*
77. Salicales Lindley, 1833
221. Salicaceae Mirbel, 1815, *nom. cons.*
78. Tamaricales Hutchinson, 1924
222. Tamaricaceae Link, 1821, *nom. cons.*
Reaumuriaceae Ehrenberg *ex* Lindley, 1830

223. Frankeniales A. de Saint-Hilaire *ex* Gray, 1821, *nom. cons.*
79. Cucurbitales Dumortier, 1829
224. Cucurbitaceae A.L. Jussieu, 1789, *nom. cons.*
- Nhandirobaceae* Lestiboudois, 1826
- Zanoniaceae* Dumortier, 1829
- Bryoniaceae* G. Meyer, 1836
80. Begoniales Dumortier, 1829
225. Begoniaceae J. Agardh, 1824, *nom. cons.*
81. Datiscales Dumortier, 1829
226. Daticaceae R. Brown *ex* Lindley, 1830, *nom. cons.*
227. Tetramelaceae (Warburg) Airy Shaw, 1965
82. Resedales Dumortier, 1829
228. Resedaceae Candolle *ex* Gray, 1821, *nom. cons.*
- Astrocarpaceae* A. Kerner, 1891
83. Tovariales Nakai, 1943
229. Tovariaceae Pax, 1891, *nom. cons.*
84. Capparales Hutchinson, 1924
230. Pentadiplandraceae Hutchinson & Dalziel, 1928
231. Koeberliniaceae Engler, 1895, *nom. cons.*
232. Capparaceae A.L. Jussieu, 1789, *nom. cons.*
233. Cleomaceae Horaninow, 1834
234. Oxystylidaceae Hutchinson, 1969
85. Brassicales Bromhead, 1838
235. Brassicaceae Burnett, 1835, *nom. cons.*
- Cruciferae* A.L. Jussieu, 1789, *nom. cons.; nom. alt.*
- Drabaceae* Martinov, 1820
- Erysimumaceae* Martinov, 1820
- Sisymbriaceae* Martinov, 1820
- Thlaspiaceae* Martinov, 1820
- Stanleyaceae* Nuttall, 1834
- Raphanaceae* Horaninow, 1847
86. Salvadorales R. Dahlgren *ex* Reveal, 1992
236. Salvadoraceae Lindley, 1836, *nom. cons.*
- Azimaceae* Wight & Gardner, 1845
237. Gyrostemonaceae Endlicher, 1841, *nom. cons.*
87. Batales Engler, 1907
238. Bataceae C. Martius *ex* Meisner, 1842, *nom. cons.*
- V. Santalanae Thorne *ex* Reveal, 1992
88. Olacales Bentham, 1862
239. Olacaceae Mirbel *ex* Candolle, 1824, *nom. cons.*
- Schoepfiaceae* Blume, 1850
- Tetrastyliidiaceae* Calestani, 1905
- Ximeniaceae* Martinet, 1873
240. Aptandraceae Miers, 1853
241. Octoknemaceae Engler, 1909, *nom. cons.*
242. Erythropalaceae (Hasskarl) Sleumer, 1942, *nom. cons.*
243. Opiliaceae (Bentham) Valeton, 1886, *nom. cons.*
- Cansjeraceae* J. Agardh, 1858
244. Medusandraceae Brenan, 1952, *nom. cons.*
89. Santalales Dumortier, 1829
- Anthobolales* Dumortier, 1829
245. Santalaceae R. Brown, 1810, *nom. cons.*
- Thesiaceae* Vest, 1818
- Osyridaceae* Martinov, 1820
- Anthobolaceae* Dumortier, 1829
- Canopodaceae* Presl, 1851
- Exocarpaceae* J. Agardh, 1858

90. Loranthales Dumortier, 1829
 246. Misodendraceae J. Agardh,
 1858, *nom. cons.*
 247. Loranthaceae A.L. Jussieu,
 1808, *nom. cons.*
Elytranthaceae Tieghem *ex* Nakai,
 1952
Gaiadendraceae Tieghem *ex* Na-
 kai, 1952
Nuytsiaceae Tieghem *ex* Nakai,
 1952
Psittacanthaceae Nakai, 1952
 248. Eremolepidaceae Tieghem
ex Nakai, 1952
 249. Viscaceae Batsch, 1802
Phoradendraceae Karsten, 1860
Arceuthobiaceae Tieghem *ex* Na-
 kai, 1952
Bifariaceae Nakai, 1952
Dendrophthoaceae Tieghem *ex*
 Nakai, 1952
Ginalloaceae Tieghem *ex* Nakai,
 1952
Lepidocerataceae Nakai, 1952
 W. Balanophoranae R. Dahlgren
ex Reveal, 1992
 91. Balanophorales Dumortier,
 1829
 250. Mystropetalaceae J.D.
 Hooker, 1853
 251. Dactylanthaceae (Engler)
 Takhtajan, 1987
 252. Sarcophytaceae A. Kerner,
 1891
 253. Heloseaceae (Schott &
 Endlicher) Tieghem *ex* Re-
 reveal & Hoogland, 1990
Scybalciaceae A. Kerner, 1891
 254. Lophophytaceae Horani-
 now, 1847
 255. Balanophoraceae Richard,
 1822, *nom. cons.*
Langsdorffiaeae Tieghem *ex*
- Pilger & K. Krause, 1914
 92. Cynomoriiales Burnett, 1835
 256. Cynomoriaceae (C. Agardh)
 Lindley, 1833, *nom. cons.*
 V. Hamamelididae Takhtajan, 1967
 X. Trochodendranae Takhtajan *ex*
 Reveal, 1992
 93. Trochodendrales Takhtajan
ex Cronquist, 1981
 257. Trochodendraceae Prantl,
 1888, *nom. cons.*
 258. Tetracentraceae A.C. Smith,
 1945, *nom. cons.*
 94. Eupteleales H.-H. Hu *ex* Re-
 reveal, 1992
 259. Eupteleaceae K. Wil-
 helm, 1910, *nom. cons.*
 95. Cercidiphyllales H.-H. Hu *ex*
 Reveal, 1992
 260. Cercidiphyllaceae En-
 gler, 1909, *nom. cons.*
 Y. Hamamelidanae Takhtajan, 1967
 96. Hamamelidales Grisebach,
 1854
 261. Platanaceae Lestiboudois
ex Dumortier, 1829, *nom. cons.*
 262. Hamamelidaceae R. Brown,
 1818, *nom. cons.*
Fothergillaceae Nuttall, 1818
Parrotiaceae Horaninow, 1834
Bucklandiaceae J. Agardh, 1858,
nom. illeg.
Disanthaceae Nakai, 1943
 263. Rhodoleiaceae Nakai, 1943
 264. Altingiaceae Lindley, 1846,
nom. cons.
 97. Casuarinales Lindley, 1833
 265. Casuarinaceae R. Brown,
 1814, *nom. cons.*
 98. Buxales Takhtajan *ex* Re-
 reveal, 1992
 266. Buxaceae Dumortier, 1822,
nom. cons.

- Pachysandraceae* J. Agardh, 1858
 267. *Stylocerataceae* (Pax)
 Baillon *ex* Reveal & Hoogland, 1990
 99. *Didymelales* Takhtajan, 1967
 268. *Didymelaceae* Leandri, 1937
 100. *Daphniphyllales* Pulle *ex* Cronquist, 1981
 269. *Daphniphyllaceae* Müller arg., 1869, *nom. cons.*
 101. *Balanopales* Engler, 1897
 270. *Balanopaceae* Bentham, 1880, *nom. cons.*
 102. *Myrothamnales* Nakai *ex* Reveal, 1993
 271. *Myrothamnaceae* Niedenzu, 1891, *nom. cons.*
 103. *Hydrostachyales* Diels *ex* Reveal, 1992
 272. *Hydrostachyaceae* Engler, 1898, *nom. cons.*
 Z. *Juglandanae* Takhtajan *ex* Reveal, 1992
 104. *Rhoipteleales* Novák *ex* Reveal, 1992
 273. *Rhoipteleaceae* Handel-Mazzetti, 1932, *nom. cons.*
 105. *Juglandales* Dumortier, 1829
 274. *Juglandaceae* A. Richard *ex* Kunth, 1824, *nom. cons.*
Platycaryaceae Nakai, 1930
Pterocaryaceae Nakai, 1930
 106. *Myricales* Engler, 1897
 275. *Myricaceae* Blume, 1829, *nom. cons.*, *emend. prop.*
 107. *Corylales* Dumortier, 1829
Betulales Burnett, 1835
 276. *Ticodendraceae* Gómez-Laurito & L.D. Gómez, 1991
 277. *Betulaceae* Gray, 1821, *nom. cons.*
 278. *Carpinaceae* Vest, 1818
279. *Corylaceae* Mirbel, 1815, *nom. cons.*
 108. *Fagales* Engler, 1892
Quercales Burnett, 1835
 280. *Nothofagaceae* Kuprianova, 1962
 281. *Fagaceae* Dumortier, 1829, *nom. cons.*
Quercaceae Berchtold & J. Presl
Castaneaceae Baillon, 1878
 VI. *Rosidae* Takhtajan, 1967
 AA. *Geranianaee* Thorne *ex* Reveal, 1992
 109. *Linales* Baskerville, 1839
 282. *Humiriaceae* Adr. Jussieu, 1829, *nom. cons.*
 283. *Ctenolophonaceae* (H. Winkler) Exell & Mendonça, 1951
 284. *Hugoniaceae* Arnott, 1834
 285. *Ixonanthaceae* (Bentham) Exell & Mendonça, 1951, *nom. cons.*
 286. *Linaceae* Candolle *ex* Gray, 1821, *nom. cons.*
 287. *Erythroxylaceae* Kunth, 1822, *nom. cons.*
Nectaropetalaceae (Winkler) Exell & Mendonça, 1951
 288. *Peganaceae* (Engler) Tieghem *ex* Takhtajan, 1987
 289. *Tetradiclidaceae* (Engler) Takhtajan, 1986
 290. *Tribulaceae* Trautvetter, 1853
 291. *Zygophyllaceae* R. Brown, 1814, *nom. cons.*
 292. *Nitrariaceae* Berchtold & J. Presl, 1820
 293. *Balanitaceae* Endlicher, 1841, *nom. cons.*
 110. *Rhizophorales* Tieghem *ex* Reveal, 1993

294. Rhizophoraceae R. Brown,
1814, *nom. cons.*
Mangiaceae Rafinesque, 1837
Legnotidaceae Endlicher, 1841,
nom. illeg.
Cassipoureaeae J. Agardh, 1858
Macarisiaceae J. Agardh, 1858
111. Oxalidales Heintze, 1927
295. Oxalidaceae R. Brown,
1818, *nom. cons.*
296. Averrhoaceae Hutchinson,
1959
297. Lepidobotryaceae Léonard,
1950, *nom. cons.*
298. Hypseocharitaceae Weddell,
1861
112. Geriales Dumortier, 1829
299. Biebersteiniaceae Endlicher,
1841
300. Geraniaceae A.L. Jussieu,
1789, *nom. cons.*
Erdiaceae Horaninow, 1847
301. Dirachmaceae Hutchinson,
1959
302. Ledocarpaceae Meyen,
1834
303. Rhynchothecaceae Endlicher,
1841
304. Vivianiaceae Klotzsch,
1836
113. Balsaminales Lindley, 1833
305. Balsaminaceae A. Richard,
1822, *nom. cons.*
Hydroceraceae Blume, 1825, *nom. illeg.*
Impatientaceae Barnhart, 1895
114. Tropaeolales Takhtajan *ex*
Reveal, 1992
306. Tropaeolaceae A.L. Jussieu
ex Candolle, 1824, *nom. cons.*
Cardamindaceae Link, 1829
115. Limnanthales Nakai, 1930
307. Limnanthaceae R. Brown,
1833, *nom. cons.*
116. Malpighiales C. Martius,
1835
308. Malpighiaceae A.L. Jussieu,
1789, *nom. cons.*
117. Vochysiales Dumortier, 1829
309. Trigoniaceae Endlicher,
1841, *nom. cons.*
310. Euphroniaceae Marcano-Berti, 1989
311. Vochysiaceae A. Saint-Hilaire, 1820, *nom. cons.*
118. Polygalales Dumortier, 1829
312. Polygalaceae R. Brown,
1814, *nom. cons.*
Moutabeaceae Endlicher, 1841
313. Diclidantheraceae J. Agardh,
1858, *nom. cons.*
314. Xanthophyllaceae (Chodat) Gagnepain *ex* Reveal & Hoogland, 1990
315. Krameriaeae Dumortier,
1829, *nom. cons.*
BB. Rutanae Takhtajan, 1967
119. Rutales Perleb, 1826
Citrales Dumortier, 1829
Terebinthales Dumortier, 1829
316. Rutaceae A.L. Jussieu,
1789, *nom. cons.*
Aurantiaceae A.L. Jussieu, 1789
Citraceae Roussel, 1806
Diosmaceae R. Brown, 1814
Amyridaceae R. Brown, 1818
Dictamnaceae Vest, 1818
Zanthoxylaceae Berchtold & J. Presl, 1820
Jamboliferaceae Martinov, 1820
Fraxinellaceae Nees & C. Martius, 1823
Pteleaceae Kunth, 1824
Cuspariaceae (Candolle) Trattnick, 1825
Monieraceae Rafinesque, 1838,

- nom. illeg.*
- Boroniaceae* J. Agardh, 1858
Correaceae J. Agardh, 1858
Diplolaenaceae J. Agardh, 1858
Pilocarpaceae J. Agardh, 1858
Spatheliaceae J. Agardh, 1858
 317. *Flindersiaceae* (Engler)
 C. White *ex* Airy Shaw, 1965.
 318. *Rhabdodendraceae* (Huber) Prance, 1968
 120. *Meliales* Lindley, 1833
 319. *Cneoraceae* Link, 1831,
 nom. cons.
Chamaeleaceae Bertoloni, 1834,
 nom. illeg.
 320. *Simaroubaceae* Candolle,
 1811, *nom. cons.*
Quassiacae Bertoloni, 1827
Soulameaceae Endlicher, 1841
Simabaceae Horaninow, 1847
Ailanthaceae J. Agardh, 1858
Castelaceae J. Agardh, 1858
 321. *Kirkiaeae* (Engler) Takh-tajan, 1967
 322. *Irvingiaceae* (Engler) Ell & Mendonça, 1951, *nom. cons.*
 323. *Ptaeroxylaceae* J. Leroy, 1960
 324. *Meliaceae* A.L. Jussieu, 1789, *nom. cons.*
Cedrelaceae R. Brown, 1814
Swieteniaceae Berchtold & J. Presl, 1820
Aitoniacae (Harvey) Reveal & Hoogland, 1992, *nom. cons. prop.*
 121. *Burserales* Baskerville, 1839
 325. *Burseraceae* Kunth, 1824,
 nom. cons.
Balsameaceae Dumortier, 1829
 326. *Anacardiaceae* Lindley, 1830, *nom. cons.*
- Cassaviaceae* A.L. Jussieu *ex* R. Brown, 1818, *nom. illeg.*
Comocladiaeae Martinov, 1820
Spondiadaceae Martinov, 1820
Vernicaceae Link, 1829
Schinaceae Rafinesque, 1837
Sumachiaceae Candolle *ex* Perleb, 1838, *nom. illeg.*
 327. *Podoaceae* Baillon *ex* Franchet, 1889
 328. *Pistaciaceae* C. Martius *ex* Perleb, 1838
Terebinthaceae A.L. Jussieu, 1789
Lentiscaceae Horaninow, 1843
 329. *Blepharocaryaceae* Airy Shaw, 1965
 330. *Tepuianthaceae* Maguire & Steyermark, 1981
 122. *Julianales* Engler, 1907
 331. *Julianiaceae* Hemsley, 1906, *nom. cons.*
 123. *Leitneriales* Engler, 1897
 332. *Leitneriaceae* Bentham, 1880, *nom. cons.*
 124. *Coriariales* Lindley, 1833
 333. *Coriariaceae* Candolle, 1824, *nom. cons.*
 125. *Sapindales* Dumortier, 1829
 334. *Dodonaeaceae* Link, 1831, *nom. cons.*
 335. *Stylobasiaceae* J. Agardh, 1858
 336. *Emblingiaceae* (Pax) Airy Shaw, 1965
 337. *Sapindaceae* A.L. Jussieu, 1789, *nom. cons.*
Allophyllaceae Martinov, 1820
Ornithopaceae Martinov, 1820
Koelreuteriaceae J. Agardh, 1858
 338. *Meliosmaceae* Endlicher, 1841
Millingtoniaceae Wight & Arnott, 1834, *nom. illeg.*

- Wellingtoniaceae* Meisner, 1840
 339. *Sabiaceae* Blume, 1851,
nom. cons.
340. *Physeteraceae* Takhtajan,
 1985
341. *Melianthaceae* Link, 1831,
nom. cons.
342. *Akaniaceae* Stapf, 1912,
nom. cons.
343. *Bretschneideraceae* Engler & Gilg, 1924, *nom. cons.*
126. *Acerales* Lindley, 1833
Aesculales Bromhead, 1838
 344. *Hippocastanaceae* Candolle, 1824, *nom. cons.*
- Aesculaceae* Berchtold & J. Presl, 1820
Paviaceae Horaninow, 1834
 345. *Aceraceae* A.L. Jussieu, 1789, *nom. cons.*
127. *Moringales* Nakai, 1943
 346. *Moringaceae* R. Brown *ex* Dumortier, 1829, *nom. cons.*
- Hyperantheraceae* Link, 1829
 CC. *Fabaceae* R. Dahlgren *ex* Reveal, 1992
 128. *Connarales* Burnett, 1835
 347. *Surianaceae* Arnott, 1834, *nom. cons.*
348. *Connaraceae* R. Brown, 1818, *nom. cons.*
- Cnestidaceae* (Rafinesque) Rafinesque, 1830
 129. *Fabales* Bromhead, 1838
Papilionales Batsch, 1802
Lotales Burnett, 1835
Mimosales Burnett, 1835
Cassiales Horaninow, 1847
 349. *Caesalpiniaceae* R. Brown, 1814, *nom. cons.*
- Cassiaceae* Vest, 1818
Tamarindaceae Berchtold & J. Presl
- Bauhiniales* Martinov, 1820
Ceratoniaceae Link, 1829
Detariaceae (Candolle) J. Hess, 1832
 350. *Mimosaceae* R. Brown, 1814, *nom. cons.*
351. *Swartziaeae* (Candolle) Bart-ling, 1830
 352. *Fabaceae* Lindley, 1836, *nom. cons.*
- Leguminosae* A.L. Jussieu, 1789, *nom. cons.; nom. alt.*
- Papilionaceae* Giseke, 1792, *nom. cons.; nom. alt.*
- Robiniaceae* Vest, 1818
Viciaceae Berchtold & J. Presl, 1820
Aspalathaceae Martinov, 1820
Astragalaceae Martinov, 1820
Coronillaceae Martinov, 1820
Galedupaceae Martinov, 1820, *nom. illeg.*
- Sophoraceae* Sprengel *ex* Weinmann, 1824
Hedysaraceae Oken, 1826
Lotaceae Oken, 1826
Lathyraceae Burnett, 1835
Phaseolaceae Schnizlein, 1843-1870
Ciceraceae W. Steele, 1847
 DD. *Proteanae* Takhtajan, 1967
 130. *Proteales* Dumortier, 1829
 353. *Proteaceae* A.L. Jussieu, 1789, *nom. cons.*
- Embothriaceae* Sprengel *ex* Weinmann, 1824
Lepidocarpaceae Schultz-Schultzenstein, 1832, *nom. illeg.*
- EE. *Rosanae* Takhtajan, 1967
 131. *Rosales* Perleb, 1826
Sanguisorbales Dumortier, 1829
 354. *Rosaceae* A.L. Jussieu, 1789, *nom. cons.*

- Spiraeaceae* Bertuch, 1801
Poteriaceae Rafinesque, 1815
Fragariaceae Richard ex Nestler,
 1816
Alchemillaceae Martinov, 1820
Tomentillaceae Martinov, 1820
Sanguisorbaceae Marquis, 1820
Agrimonyaceae Gray, 1821
Dryadaceae Gray, 1821
Ulmariaceae Gray, 1821
Potentillaceae Sprengel ex Wein-
 mann, 1824
Quillajaceae D. Don, 1831
Neilliaceae Miquel, 1855
Cercocarpaceae J. Agardh, 1858
Coleogyneaceae J. Agardh, 1858
Lindleyaceae J. Agardh, 1858
Rhodotypaceae J. Agardh, 1858
 355. *Amygdalaceae* (A.L. Jus-
 sieu) D. Don, 1825, *nom. cons.*
Prunaceae Berchtold & J. Presl,
 1820
 356. *Malaceae* J.K. Small ex
 Britton, 1903, *nom. cons.*
Pyraceae Vest, 1818
Mespilaceae Schultz-Schultzen-
 stein, 1832
Cydoniaceae Schnizlein, 1858
 357. *Neuradaceae* Link, 1829,
nom. cons. prop.
Griplaceae Martinov, 1820
 132. *Crossosomatales* Takht-
 jan ex Reveal, 1992
 358. *Crossosomataceae* En-
 gler, 1897, *nom. cons.*
 133. *Crassulales* Lindley
Sedales Reichenbach, 1828
 359. *Tetrapcarpaeaceae* Nakai,
 1943
 360. *Crassulaceae* Candolle,
 1805, *nom. cons.*
Sempervivaceae A.L. Jussieu,
 1789
- Sedaceae* Roussel, 1806
Cotyledonaceae Martinov, 1820
Rhodiolaceae Martinov, 1820
Tillaeaceae Martinov, 1820
 134. *Cephalotales* Nakai, 1943
 361. *Cephalotaceae* Dumortier,
 1829, *nom. cons.*
 135. *Saxifragales* Dumortier, 1829
 362. *Penthoraceae* Rydberg
 ex Britton, 1901, *nom. cons.*
 363. *Saxifragaceae* A.L. Jussieu,
 1789, *nom. cons.*
Pectiantiaceae Rafinesque, 1837
 136. *Grossulariales* Lindley, 1833
 364. *Grossulariaceae* Candolle,
 1805, *nom. cons.*
Ribesiaceae Marquis, 1820
 137. *Parnassiales* Nakai, 1943
 365. *Francoaceae* Adr. Jussieu,
 1832, *nom. cons.*
 366. *Vahliaeae* Dandy, 1959
 367. *Eremosynaceae* Dandy,
 1959
 368. *Lepuropetalaceae* (En-
 gler) Nakai, 1943
 369. *Parnassiaceae* Gray, 1821,
nom. cons.
 370. *Greyiaceae* Hutchinson,
 1926, *nom. cons.*
 138. *Droserales* Grisebach, 1854
 371. *Droseraceae* R.A. Salis-
 bury, 1808, *nom. cons.*
 372. *Drosophyllaceae* Chrtek,
 Slavíková, & Studicka, 1989
 373. *Dionaeaceae* Rafinesque,
 1837
 374. *Aldrovandaceae* Nakai,
 1949
 139. *Styliidales* Takhtajan ex
 Reveal, 1992
 375. *Donatiaceae* Hutchinson,
 1959, *nom. cons., emend. prop.*
 376. *Styliaceae* R. Brown,

- 1810, *nom. cons.*
- Candolleaceae* Mueller, 1882-
1883, *nom. illeg.*
140. *Diapensiales* Engler & Gilg,
1924
377. *Diapensiaceae* (Link) Lindley, 1836, *nom. cons.*
- Galacaceae* D. Don, 1827
141. *Roridulales* Nakai, 1943
378. *Roridulaceae* Engler & Gilg, 1924, *nom. cons.*
142. *Bruniales* Dumortier, 1829
379. *Anisophylleaceae* Ridley,
1922
- Polygonanthaceae* Croizat, 1943
380. *Bruniaceae* R. Brown *ex*
Candolle, 1825, *nom. cons.*
- Berzeliaeae* Nakai, 1943
381. *Grubbiaceae* Endlicher,
1839, *nom. cons.*
- Ophiraceae* Arnott, 1841
143. *Geissolomatales* Takhtajan
ex Reveal, 1992
382. *Geissolomataceae* Endlicher, 1841, *nom. cons.*
144. *Cunoniales* Hutchinson, 1924
383. *Cunoniaceae* R. Brown,
1814, *nom. cons.*
- Belangeraceae* J. Agardh, 1858
- Callicomaceae* J. Agardh, 1858
384. *Baueraceae* Lindley, 1830
385. *Eucryphiaceae* Endlicher,
1841, *nom. cons.*
386. *Brunelliaceae* Engler, 1897,
nom. cons.
387. *Davidsoniaceae* Bange,
1952
388. *Staphyleaceae* (Candolle)
Lindley, 1829, *nom. cons.*
- Ochranthaceae* Lindley *ex* Endlicher, 1841
389. *Tapisciaceae* (Pax) Takhtajan, 1987
- FF. *Vitanae* Takhtajan *ex* Reveal
1992
145. *Vitales* Burnett, 1835
390. *Vitaceae* A.L. Jussieu
1789, *nom. cons.*
- Ampelopsidaceae* Kosteletzky
1835
- Cissaceae* Horaninow, 1847
- Pterisanthaceae* J. Agardh, 1829
391. *Leeaceae* (Candolle) Dumortier, 1829, *nom. cons.*
- GG. *Cornanae* Thorne *ex* Reveal
1992
146. *Hydrangeales* Nakai, 1943
392. *Philadelphaceae* Martinov, 1820
393. *Hydrangeaceae* Dumortier, 1829, *nom. cons.*
- Hortensiaceae* Berchtold & J. Presl, 1820
- Kirengeshomaceae* Nakai, 1943
394. *Escalloniaceae* R. Brown *ex* Dumortier, 1829, *nom. cons.*
395. *Argophyllaceae* (Engler) Takhtajan, 1987
396. *Iteaceae* J. Agardh, 1858, *nom. cons.*
397. *Tribelaceae* (Engler) Airy Shaw, 1965
398. *Dulungiaceae* J. Agardh, 1858, *nom. cons. prop.*
- Phyllonomataceae* J.K. Small, 1905, *nom. rej. prop.*
399. *Pterostemonaceae* J.K. Small, 1905, *nom. cons.*
400. *Griseliniaeae* (Wangerin) Takhtajan, 1987
401. *Carpodetaceae* Fenzl, 1843
402. *Alseuosmiaceae* Airy Shaw, 1965
403. *Montiniaceae* Nakai, 1943, *nom. cons.*
404. *Melanophyllaceae* Takhtajan, 1987

- jan ex Airy Shaw, 1972
406. Rousseaceae Candolle, 1839
407. Columelliaceae D. Don, 1828, *nom. cons.*
408. Desfontainiaceae Endlicher, 1841
147. Brexiales Lindley, 1833
405. Brexiaceae Loudon, 1830.
- Ierbaceae* Grisebach, 1854
148. Gunnerales Takhtajan ex Reveal, 1992
409. Gunneraceae Meisner, 1842, *nom. cons.*
149. Haloragales Bromhead, 1838
410. Haloragaceae R. Brown, 1814, *nom. cons.*
- Cercodiaceae* A.L. Jussieu, 1817
411. Myriophyllaceae Schultz-Schultzenstein, 1832
150. Cornales Dumortier, 1829
412. Davidiaceae (H. Harms) H.L. Li, 1955
413. Nyssaceae A.L. Jussieu ex Dumortier, 1829, *nom. cons.*
414. Mastixiaceae Calestani, 1905
415. Cornaceae (Dumortier) Dumortier, 1829, *nom. cons.*
416. Curtisiaceae (H. Harms) Takhtajan, 1987
417. Alangiaceae Candolle, 1828, *nom. cons.*
418. Aucubaceae J. Agardh, 1858
151. Garryales Lindley, 1846
419. Garryaceae Lindley, 1834, *nom. cons.*
152. Aralidiales Takhtajan ex Reveal, 1992
420. Aralidiaceae Philipson & Stone, 1980
- HH. Eucommianae Takhtajan ex Reveal, 1992
153. Eucommiales Nemejc ex Cronquist, 1981
421. Eucommiaceae Engler, 1909, *nom. cons.*
154. Icacinales Tieghem ex Reveal, 1993
422. Icacinaceae (Bentham) Miers, 1851, *nom. cons.*
- Phytocrenaceae* Arnott ex Brown, 1852
- Pennantiaceae* J. Agardh, 1858
423. Metteniusaceae Schnizlein, 1843-1870
424. Corynocarpaceae Engler, 1897, *nom. cons.*
425. Cardiopteridaceae Blume, 1849, *nom. cons.*
- Peripterygiaceae* F.N. Williams, 1905
426. Aextoxicaceae Engler & Gilg, 1920, *nom. cons.*
155. Pittosporales Lindley, 1833
427. Pittosporaceae R. Brown, 1814, *nom. cons.*
156. Byblidales Nakai ex Reveal, 1993
428. Byblidaceae Domin, 1922, *nom. cons.*
429. Tremandraceae R. Brown ex Candolle, 1824, *nom. cons.*
- II. Podostemonanae R. Dahlgren ex Reveal, 1992
157. Podostemales Lindley, 1833
- Marathrales* Dumortier, 1829
430. Podostemaceae Richard ex C. Agardh, 1822, *nom. cons.*
- Marathraceae* Dumortier, 1829
431. Tristichaceae J.C. Willis, 1915
- Philocrenaceae* Bongard, 1834
- JJ. Aralianae Takhtajan, 1967

158. *Torricelliales* Takhtajan *ex*
Reveal, 1992
432. *Helwingiaceae* Decaisne,
1836
433. *Torricelliaceae* (Wangerin)
H.H. Hu, 1934
159. *Araliales* Burnett, 1835
Angelicales Burnett, 1835
Ammiales J.K. Small, 1903
Apiales Nakai, 1930
434. *Araliaceae* A.L. Jussieu,
1789, *nom. cons.*
- Hederaceae* Giseke, 1792
- Botryodendraceae* J. Agardh,
1858
435. *Hydrocotylaceae* (Drude)
N. Hylander, 1945, *nom. cons.*
436. *Saniculaceae* (Drude) A.
Löve & D. Löve, 1974
- Eryngiaceae* Rafinesque, 1838
437. *Apiaceae* Lindley, 1836,
nom. cons.
- Umbelliferae* A.L. Jussieu, 1789,
nom. cons.; nom. alt.
- Angelicaceae* Martinov, 1820
- Bupleuraceae* Martinov, 1820
- Daucaceae* Martinov, 1820
- Imperatoriaceae* Martinov, 1820
- Pastinacaceae* Martinov, 1820
- Coriandraceae* Burnett, 1835
- Smyrniaceae* Burnett, 1835
- Ammiaceae* (J. Presl & Presl)
Barnhart, 1895
160. *Caprifoliales* Lindley, 1833
Lonicerales C. Baenitz, 1877
438. *Caprifoliaceae* A.L. Jussieu,
1789, *nom. cons.*
- Loniceraceae* Vest, 1818
439. *Carlemanniaceae* Airy
Shaw, 1965
161. *Viburnales* Dumortier, 1829
Adoxales Nakai, 1949
440. *Adoxaceae* Trautvetter,
- 1853, *nom. cons.*
441. *Sambucaceae* Batsch
Borck-hausen, 1797
442. *Viburnaceae* Rafinesqu
1820
- Tinaceae* Martinov, 1820
162. *Valerianales* Burnett, 18
443. *Valerianaceae* Batsc
1802, *nom. cons.*
444. *Triplostegiaceae* (Höc
Bobrov *ex* Airy Shaw, 19
163. *Dipsacales* Dumortier, 18
445. *Dipsacaceae* A.L. Jussi
1789, *nom. cons.*
- Scabiosaceae* Adanson *ex* Po
& Kuntze, 1903
446. *Morinaceae* Rafinesqu
1820
- VII. *Asteridae* Takhtajan, 1967
- KK. *Asteranae* Takhtajan, 196
164. *Calycerales* Burnett, 183
447. *Calyceraceae* R. Brov
ex Richard, 1820, *nom. co*.
- Boopidaceae* Cassini, 1816
165. *Asterales* Lindley, 1833
- Ambrosiales* Dumortier, 182
- Carduinales* J.K. Small, 1903
448. *Cichoriaceae* A.L. Jussi
1789, *nom. cons.*
- Cynaraceae* A.L. Jussieu, 17
- Cnicaceae* Vest, 1818
- Centaureaceae* Martinov, 18
- Lapsanaceae* Martinov, 1820
- Picridaceae* Martinov, 1820
- Serratulaceae* Martinov, 182
- Echinopaceae* Dumortier, 18
- Acarnaceae* Link, 1829
- Perdiciaceae* Link, 1829
- Carduaceae* Dumortier, 182
- Mutisiaceae* Burnett, 1835
- Nassauviaceae* Burmeister, 1
- Lactucaceae* Drude, 1879
- Arctotidaceae* Bessey, 1914

449. Asteraceae Dumortier,
1822, *nom. cons.*
Compositae Giseke, 1792, *nom.
cons., nom. alt.*
Tanacetaceae Vest, 1818
Anthemidaceae Martinov, 1820
Artemisiaceae Martinov, 1820
Athanasiaceae Martinov, 1820
Eupatoriaceae Martinov, 1820
Santolinaceae Martinov, 1820
Heleniaceae Rafinesque, 1824
Calendulaceae Link, 1829
Coreopsidaceae Link, 1829
Helichrysideae Link, 1829
Partheniaceae Link, 1829
Helianthaceae Dumortier, 1829
Gnaphaliaceae F. Rudolphi, 1830
Senecionaceae Spenner, 1834
Vernoniaceae Burmeister, 1837
Matricariaceae Voigt, 1845
Inulaceae Bessey, 1914
450. Ambrosiaceae Dumortier,
1829, *nom. cons., emend. prop.*
Xanthiaceae Vest, 1818
LL. Campanulanae Takhtajan *ex
Reveal*, 1992
166. Campanulales Reichenbach,
1828
451. Menyanthaceae (Dumortier) Dumortier, 1829, *nom.
cons.*
452. Pentaphragmataceae J.
Agardh, 1858, *nom. cons.*
453. Sphenocleaceae C. Mar-
tius *ex* Candolle, 1839, *nom.
cons.*
Pongatiaceae Meisner, 1839, *nom.
illeg.*
454. Campanulaceae A.L. Jus-
sieu, 1789, *nom. cons.*
Jasionaceae Dumortier, 1829
Cyananthaceae J. Agardh, 1858
455. Cyphiaceae A. de Can-
olle, 1839
456. Nemacladaceae Nuttall,
1843
457. Lobeliaceae R. Brown,
1817, *nom. cons.*
458. Cyphocarpaceae Miers,
1848
167. Goodeniales Lindley, 1833
Brunoniales Lindley, 1833
459. Goodeniaceae R. Brown,
1810, *nom. cons.*
Scaevolaceae Lindley, 1830
460. Brunoniaceae Dumortier,
1829, *nom. cons.*
VIII. Lamiidae Takhtajan *ex Re-
veal*, 1992
MM. Solananae R. Dahlgren *ex
Reveal*, 1992
168. Solanales Dumortier, 1829
461. Solanaceae A.L. Jussieu,
1789, *nom. cons.*
Hyoscyamaceae Vest, 1818
Atropaceae Martinov, 1820
Nicotianaceae Martinov, 1820
Daturaceae Rafinesque, 1828
Cestraceae Schlechtendal, 1833
Lyciaceae Rafinesque, 1840
462. Salpiglossidaceae (Ben-
tham) Hutchinson, 1969.
463. Sclerophylacaceae Miers,
1848
464. Duckeodendraceae Kuhl-
mann, 1950
465. Goetzeaceae Miers *ex
Airy Shaw*, 1965
169. Nolanales Lindley, 1833
466. Nolanaceae Dumortier,
1829, *nom. cons.*
170. Convolvulales Dumortier,
1829
467. Erycibaceae Endlicher,
1840
468. Humbertiaceae Pichon,

- 1947, *nom. cons.*
469. Convolvulaceae A.L. Jussieu, 1789, *nom. cons.*
- Cressaceae* Rafinesque, 1821
- Poranaceae* J. Agardh, 1858
470. Dichondraceae Dumortier, 1829, *nom. cons.*
471. Cuscutaceae (Dumortier) Dumortier, 1829, *nom. cons.*
171. Boraginales Dumortier, 1829
- Echiales* Lindley, 1846
472. Hydrophyllaceae R. Brown *ex* Ker-Gawler, 1817, *nom. cons.*
- Ellisiaceae* Berchtold & J. Presl, 1820
- Hydroleaceae* Berchtold & J. Presl, 1820
- Sagoneaceae* Martinov, 1820
- Eutocaceae* Horaninow, 1847
473. Ehretiaceae C. Martius *ex* Lindley, 1830, *nom. cons.*
474. Cordiaceae R. Brown *ex* Dumortier, 1829, *nom. cons.*
- Sebestenaceae* Ventenat, 1799
475. Heliotropiaceae Schrader, 1820, *nom. cons.*
476. Boraginaceae A.L. Jussieu, 1789, *nom. cons.*
- Buglossaceae* Hoffmannsegg & Link, 1810
- Anchusaceae* Vest, 1818
- Cerinthaceae* Martinov, 1820
- Onosmaceae* Martinov, 1820
- Echiaceae* Rafinesque, 1837
477. Wellstediaceae (Pilger) Novák, 1943
478. Hoplestigmataceae Gilg, 1924, *nom. cons.*
479. Lennoaceae Solms-Laubach, 1870, *nom. cons.*
480. Tetrachondraceae Wettstein, 1924
172. Polemoniales Bromhead, 1838
481. Cobaeaceae D. Don, 1824
482. Polemoniaceae A.L. Jussie 1789, *nom. cons.*
- NN. Loasanae R. Dahlgren *ex* Reveal, 1992
173. Loasales Bessey, 1907
483. Loasaceae Dumortier, 1822, *nom. cons.*
- Gronoviaceae* Endlicher, 1841
- Cevalliaciae* Grisebach, 1854
- OO. Myrtanae Takhtajan, 1967
174. Lythrales Oliver, 1895
484. Psilotylonaceae Croizat, 1961
485. Heteropyxidaceae Engler & Gilg, 1920, *nom. cons.*
486. Lythraceae Jaume Saint-Hilaire, 1805, *nom. cons.*
- Salicariaceae* A.L. Jussieu, 1789
- Ammanniaceae* Horaninow, 1834
- Lagerstroemiaceae* J. Agardh, 1858
- Lawsoniaceae* J. Agardh, 1858
487. Duabangaceae Takhtajan, 1986
488. Sonneratiaceae Engler & Gilg, 1924, *nom. cons.*
- Blattiaceae* Niedenzu, 1892
489. Punicaceae Horaninow, 1834
490. Alzateaceae S. Graham, 1985
491. Rhynchocalycaceae L. Johnson & B. Briggs, 1985.
492. Trapaceae Dumortier, 1829, *nom. cons.*
493. Crypteroniaceae A. de Candolle, 1868, *nom. cons.*
- Henslowiaceae* Lindley, 1835
175. Penaeales Lindley, 1833
494. Penaeaceae Sweet *ex* Guille-

- min., *nom. cons.*
495. Oliniaceae Harvey & Sonder, 1862, *nom. cons.*
176. Melastomatales Oliver, 1895
496. Melastomataceae A.L. Jussieu, 1789, *nom. cons.*
- Rhexiaceae* Dumortier, 1822
- Miconiaceae* Koch, 1857
- Blakeaceae* Reichenbach *ex* Barnhart, 1895
497. Memecylaceae Candolle, 1828
- Mouririaceae* Gardner, 1849, *nom. illeg.*
177. Combretales Baskerville, 1839
498. Combretaceae R. Brown, 1810, *nom. cons.*
- Terminaliaceae* Jaume Saint-Hilaire, 1805
- Myrobalanaceae* Martinov, 1820
- Bucidaceae* Sprengel *ex* Weinmann, 1824
- Sheadendraceae* Bertoloni f., 1850
178. Onagrales Reichenbach, 1828
- Oenotherales* Bromhead, 1838
499. Onagraceae A.L. Jussieu, 1789, *nom. cons.*
- Epilobiaceae* Ventenat, 1799
- Oenotheraceae* Robin, 1807
- Isnardiaceae* Martinov, 1820
- Jussiaeaceae* Martinov, 1820
- Circaeaceae* Lindley, 1829
179. Myrtales Reichenbach, 1828
500. Myrtaceae A.L. Jussieu, 1789, *nom. cons.*
- Myrrhiniaceae* Arnott, 1839
- Kaniaceae* Nakai, 1943
501. Leptospermaceae F. Rudolfi, 1830
- Melaleuaceae* Vest, 1818
- Chamelauciaceae* Candolle *ex* F. Rudolphi, 1830
- PP. Gentiananae Thorne *ex* Reveal, 1992
180. Loganiales Lindley, 1833
502. Loganiaceae R. Brown *ex* C. Martius, 1827, *nom. cons.*
503. Strychnaceae Candolle *ex* Perleb, 1826
- Gardneriaceae* Wallich *ex* Perleb, 1838
504. Potaliaceae C. Martius, 1827
505. Spigeliaceae C. Martius, 1827
506. Antoniaceae Hutchinson, 1959
507. Plocospermataceae Hutchinson, 1973
181. Rubiales Dumortier, 1829
- Cinchonales* Lindley, 1833
- Galiales* Bromhead, 1838
508. Naucleaceae (Candolle) Wernham, 1911
- Cinchonaceae* Batsch, 1802
- Cephalanthaceae* Rafinesque, 1820
- Sabiceaceae* Martinov, 1820
509. Rubiaceae A.L. Jussieu, 1789, *nom. cons.*
- Coffeaceae* Batsch, 1802
- Guettardaceae* Batsch, 1802
- Aparinaceae* Hoffmannsegg & Link, 1813-1820
- Operculariaceae* A.L. Jussieu *ex* Perleb, 1818
- Catesbaeaceae* Martinov, 1820
- Coutareaceae* Martinov, 1820
- Nonatiaceae* Martinov, 1820
- Hydrophylaceae* Martinov, 1820
- Pagamaeaceae* Martinov, 1820
- Randiaceae* Martinov, 1820
- Spermacoceaceae* Sprengel *ex* Weinmann, 1824
- Gardeniaceae* Dumortier, 1829

- Hedyotidaceae* Dumortier, 1829
Lygodisodeaceae Bartling, 1830
Psychotriaceae F. Rudolphi, 1830
Asperulaceae Spenner, 1835
Galiaceae Lindley, 1836
Lippayaceae Meisner, 1838
Houstoniaceae Rafinesque, 1840
 510. *Henriqueziaceae* Bremekamp, 1957
 511. *Dialypetalanthaceae* Rizzini & Occhioni, 1948, *nom. cons.*
 182. *Theligonales* Nakai, 1942
 512. *Theligonaceae* Dumortier, 1829, *nom. cons.*
Cynocrambaceae Endlicher, 1841, *nom. illeg.*
 183. *Apocynales* Bromhead, 1838
Vincales Horaninow, 1847
 513. *Apocynaceae* A.L. Jussieu, 1789, *nom. cons.*
Vincaceae Vest, 1818
Cerberaceae Martinov, 1820
Pacouriaceae Martinov, 1820, *nom. illeg.*
Carissaceae Sprengel *ex* Weinmann, 1824
Plumeriaceae Horaninow, 1834
Ophioxylaceae C. Martius *ex* Perleb, 1838
Willughbeiaceae J. Agardh, 1858
 514. *Periplocaceae* Schlechter, 1905, *nom. cons.*
 184. *Asclepiadales* Dumortier, 1829
 515. *Asclepiadaceae* R. Brown, 1810, *nom. cons.*
Stapeliaceae Horaninow, 1834
Cynanchaceae G. Meyer, 1836
 185. *Gentianales* Lindley, 1833
Chironiales Grisebach, 1854
 516. *Gentianaceae* A.L. Jussieu, 1789, *nom. cons.*
- Coutoubeaceae* Martinov, 1820
Obolariaceae Martinov, 1820
Chironiaceae Horaninow, 1847
 517. *Saccifoliaceae* Maguire & Pires, 1978
 QQ. *Lamianae* Takhtajan, 1967
 186. *Jasminales* Dumortier, 1829
Oleales Lindley, 1833
Ligustrales Bischoff, 1840
 518. *Jasminaceae* A.L. Jussieu 1789
Boliviariaceae Grisebach, 1838
Nyctanthaceae J. Agardh, 1858
 519. *Oleaceae* Hoffmannsegg & Link, 1813-1820, *nom. con.*
Lilacaceae Ventenat, 1799
Fraxinaceae Vest, 1818
Ligustraceae G. Meyer, 1836
Forestieraceae Endlicher, 1841
Schreberaceae (Wight) Schnizlein, 1843-1870
Syringaceae Horaninow, 1847
 187. *Plantaginales* Lindley, 1833
 520. *Plantaginaceae* A.L. Jussieu 1789, *nom. cons.*
Littorellaceae Gray, 1821
Psylliaceae Horaninow, 1834
 188. *Bignoniales* Lindley, 1833
 521. *Bignoniaceae* A.L. Jussieu 1789, *nom. cons.*
Crescentiaceae Dumortier, 1826
 522. *Pedaliaceae* R. Brown, 1810, *nom. cons.*
Sesamaceae R. Brown *ex* Berchtold & J. Presl, 1820
 523. *Trapellaceae* Honda & Saki-saka, 1930
 524. *Martyniaceae* Stapf, 1895, *nom. cons.*
 189. *Scrophulariales* Lindley, 1833
Rhinanthales Dumortier, 1829
Veratales Dumortier, 1829
 525. *Buddlejaceae* K. Wilhelm,

- 1910, *nom. cons.*
526. Myoporaceae R. Brown,
1810, *nom. cons.*
- Bontiaceae* Horaninow, 1834
527. Scrophulariaceae A.L.
Jussieu, 1789, *nom. cons.*
- Pedicularidaceae* A.L. Jussieu,
1789
- Rhinanthaceae* Ventenat, 1799
- Antirrhinaceae* Persoon, 1807
- Caprariaceae* Martinov, 1820
- Chelonaceae* Martinov, 1820
- Digitalidaceae* Martinov, 1820
- Euphrasiaceae* Martinov, 1820
- Gratiolaceae* Martinov, 1820
- Linariaceae* Martinov, 1820
- Melampyraceae* Richard ex Hooker & Lindley, 1821
- Verbascaceae* Rafinesque, 1821
- Aragoaceae* D. Don, 1835
- Sibthoriaceae* D. Don, 1835
- Calceolariaceae* Rafinesque, 1838
- Veronicaceae* Rafinesque, 1838
- Orycladaceae* (Miers) Schnizlein,
1855-1870
- Limosellaceae* J. Agardh, 1858
- Erinaceae* Duvau ex L. Pfeiffer, 1873
- Paulowniaceae* Nakai, 1949
528. Spielmanniaceae J. Agardh,
1858
529. Selaginaceae Choisy, 1823,
nom. cons.
- Hebenstretiaceae* Horaninow, 1834
530. Ellisophyllaceae Honda,
1930
531. Orobanchaceae Venter,
1799, *nom. cons.*
- Phelypaeaceae* Horaninow, 1834
- Aeginetiaceae* Livera, 1927
190. Globulariales Dumortier,
1829
532. Retziaceae Bartling, 1830
533. Stilbaceae Kunth, 1831,
nom. cons.
534. Globulariaceae Candolle,
1805, *nom. cons.*
191. Lentibulariales Lindley, 1833
- Pinguicularales* Dumortier, 1829
535. Lentibulariaceae Richard,
1808, *nom. cons.*
- Utriculariaceae* Hoffmannsegg
& Link, 1820
- Pinguiculaceae* Dumortier, 1829
192. Acanthales Lindley, 1833
536. Nelsoniaceae (Nees) Sreemadhanvan, 1977
537. Thunbergiaceae Bremerkamp, 1954
538. Meyeniaceae Sreemadhanvan, 1977
539. Mendonciaceae Bremerkamp, 1954
540. Acanthaceae A.L. Jussieu,
1789, *nom. cons.*
541. Justiciaceae Rafinesque,
1838
542. Thomandersiaceae Sreemadhanvan. 1977
193. Gesneriales Dumortier, 1829
543. Gesneriaceae Dumortier,
1822, *nom. cons.*
- Belloniaceae* Martinov, 1820
- Didymocarpaceae* D. Don, 1822
- Cyrtandraceae* Jack, 1823
- Besleriaceae* Rafinesque, 1838
- Ramondaceae* Godron, 1850
194. Callitrichales Dumortier,
1829
544. Callitrichaceae Link, 1821,
nom. cons.
- Stelliariaceae* MacMillan, 1892,
nom. illeg. non Dumortier,
1822
195. Hippuridales Burnett, 1835
545. Hippuridaceae Link, 1821,

nom. cons.

196. Verbenales Horaninow, 1847
 546. Verbenaceae Jaume Saint-Hilaire, 1805, *nom. cons.*
Viticaceae A.L. Jussieu, 1789
Lantanaceae Martinov, 1820
Aegiphilaceae Rafinesque, 1838
Siphonanthaceae Rafinesque, 1838
Durantaceae J. Agardh, 1858
Petreaceae J. Agardh, 1858
 547. Phrymaceae Schauer, 1847,
nom. cons.
 548. Symphoremataceae (Meisner) Moldenke *ex* Reveal & Hoogland, 1991
 549. Cyclocheilaceae Marais, 1981
 550. Nesogenaceae Marais, 1981
 551. Avicenniaceae Endlicher, 1841, *nom. cons.*
 197. Lamiales Bromhead, 1838
Menthales Burnett, 1835
 552. Chloanthaceae Hutchinson, 1959
 553. Lamiaceae Lindley, 1836,
nom. cons.
Labiateae A.L. Jussieu, 1789,
nom. cons.; *nom. alt.*
Glechomaceae Martinov, 1820
Melittaceae Martinov, 1820
Salviaceae Sprengel *ex* Weinmann, 1824
Nepetaceae Horaninow, 1834
Menthaceae Burnett, 1835
 554. Salazariaceae Barkley, 1975.
Scutellariaceae Caruel, 1894
- Liliopsida Cronquist, Takhtajan & Zimmermann, 1966
 IX. Alismatidae Takhtajan, 1967

- RR. Butominae Takhtajan *ex* Reveal, 1992
 198. Butomales Hutchinson, 1934
 555. Butomaceae Richard, 1816, *nom. cons.*
 SS. Alismatanae Takhtajan, 1967
 199. Alismatales Dumortier, 1829
 556. Limnocharitaceae Takhtajan *ex* Cronquist, 1981
 557. Alismataceae Ventenat, 1799, *nom. cons.*
Damasoniaceae Nakai, 1943
 200. Hydrocharitales Dumortier, 1829
Vallisneriales Nakai, 1949
Elodeales Nakai, 1950
 558. Hydrocharitaceae A.L. Jussieu, 1789, *nom. cons.*
Elodeaceae Dumortier, 1829
Stratiotaceae Link, 1829
Vallisneriaceae Link, 1829
Elismataceae Nakai, 1943, *nom illeg.*
Enhalaceae Nakai, 1943
Blyzaceae (Ascherson & Gürck) Nakai, 1949
 559. Thalassiaceae Nakai, 1943
 560. Halophilaceae J. Agardh, 1858
- TT. Najadinae Takhtajan *ex* Reveal, 1992
 201. Aponogetonales Hutchinson, 1934
 561. Aponogetonaceae J. Agardh, 1858, *nom. cons.*
 202. Scheuchzeriales B. Boivin, 1956
 562. Scheuchzeriaceae F. Rudolph, 1830, *nom. cons.*
 203. Juncaginales Hutchinson, 1934
 563. Juncaginaceae Richard, 1808, *nom. cons.*

- Triglochinaceae* Chevallier, 1827
 564. *Lilaeaceae* Dumortier,
 1829, *nom. cons.*
- Heterostylaceae* Hutchinson, 1934
 565. *Maundiaceae* Nakai, 1943
204. *Potamogetonales* Dumortier,
 1829
- Ruppiales* Nakai, 1950
 566. *Potamogetonaceae* Du-
 mortier, 1829, *nom. cons.*
- Hydrogetonaceae* Link, 1829
 567. *Ruppiaceae* Horaninow
 ex Hutchinson, 1934, *nom.
 cons.*
205. *Posidoniales* Nakai, 1943
 568. *Posidoniaceae* Hutchin-
 son, 1934, *nom. cons., emend.
 prop.*
- Cauliniaceae* J. Presl, 1846, *nom.
 illeg.*
206. *Cymodoceales* Nakai, 1943
 569. *Cymodoceaceae* Norman
 Taylor, 1909, *nom. cons.*
570. *Zannichelliaceae* Dumor-
 tier, 1829, *nom. cons.*
207. *Zosterales* Nakai, 1943
 571. *Zosteraceae* Dumortier,
 1829, *nom. cons.*
208. *Najadales* Reichenbach, 1828
 572. *Najadaceae* A.L. Jussieu,
 1789, *nom. cons.*
- K. *Triurididae* Takhtajan ex Re-
 veal, 1992
- UU. *Triuridanae* Thorne ex Re-
 veal, 1992
209. *Triuridales* J.D. Hooker in
 Le Maout & Decaisne, 1876
 573. *Triuridaceae* Gardner,
 1843, *nom. cons.*
574. *Lacandoniaceae* E. Martí-
 nes & C.H. Ramos, 1989
- I. *Liliidae* Takhtajan, 1967
 /V. *Lilianae* Takhtajan, 1967
210. *Melanthiales* R. Dahlgren
 ex Reveal, 1992
 575. *Melanthiaceae* Batsch,
 1802, *nom. cons.*
- Veratraceae* Vest, 1818
Heloniadaceae J. Agardh, 1858
Nartheciaceae J.K. Small, 1933
Lophiolaceae Nakai, 1943
 576. *Petrosaviaceae* Hutchin-
 son, 1934, *nom. cons.*
577. *Campynemataceae* Du-
 mortier, 1829
211. *Alstroemerales* Hutchin-
 son, 1934
 578. *Alstroemeriaceae* Dumor-
 tier, 1829, *nom. cons.*
212. *Liliales* Perleb, 1826
Colchicales Dumortier, 1829
Paridales Dumortier, 1829
 579. *Colchicaceae* Candolle,
 1805, *nom. cons.*
- Merenderaceae* Mirbel, 1804
Bulbocodiaceae R.A. Salisbury,
 1866
580. *Uvulariaceae* A. Gray
 ex Kunth, 1843, *nom. cons.
 prop.*
- Compsoaceae* Horaninow, 1834
 581. *Liliaceae* A.L. Jussieu,
 1789, *nom. cons.*
- Liriaceae* Batsch ex Borckhaus-
 en, 1797
- Tulipaceae* Batsch ex Borck-
 hausen, 1797
- Erythroniaceae* Martinov, 1820
- Fritillariaceae* R.A. Salisbury,
 1866
582. *Calochortaceae* Dumortier,
 1829
583. *Medeolaceae* (S. Wat-
 son) Takhtajan, 1987
584. *Trilliaceae* Lindley, 1846,
nom. cons.

- Paridaceae* Dumortier, 1827
 213. *Iridales* Dumortier, 1829
Iziiales Lindley, 1836
 585. *Geosiridaceae* Jonker, 1939,
nom. cons.
 586. *Iridaceae* A.L. Jussieu,
 1789, *nom. cons.*
Crocaceae Vest, 1818
Ixiaceae Horaninow, 1834
Galziaceae Rafinesque, 1836
Gladiolaceae Rafinesque, 1838
Hewardiaceae Nakai, 1943, *nom.*
illeg.
Isophysidaceae (Hutchinson) F.
 Barkley, 1948
 214. *Tecophilaeales* Traub *ex*
 Reveal, 1993
 587. *Tecophilaeaceae* F. Ley-
 bold, 1862, *nom. cons.*
Androsynaceae R.A. Salisbury,
 1866
Cyanellaceae R.A. Salisbury,
 1866
Conantheraceae (D. Don) J.D.
 Hooker, 1873
 588. *Cyanastraceae* Engler,
 1900, *nom. cons.*
 589. *Eriospermaceae* Endlicher,
 1841
 215. *Burmanniales* Heintze, 1927
 590. *Burmanniaceae* Blume,
 1827, *nom. cons.*
Tripterellaceae Dumortier, 1829
 591. *Thismiaceae* J. Agardh,
 1858, *nom. cons.*
 592. *Corsiaceae* Beccari, 1878,
nom. cons.
 216. *Asparagales* Bromhead, 1838
 593. *Convallariaceae* Horani-
 now, 1834
Aspidistraceae Endlicher, 1841
Platymetraceae R.A. Salisbury,
 1866, *nom. illeg.*
- Polygonataceae* R.A. Salisbury,
 1866
 594. *Ophiopogonaceae* Endlich-
 er, 1841
Peliosanthaceae R.A. Salisbury,
 1866
 595. *Asparagaceae* A.L. Jussieu
 1789, *nom. cons.*
 596. *Ruscaceae* Sprengel *ex*
 Hutchinson, 1934, *nom. cons.*
 217. *Asteliales* Dumortier, 1829
 597. *Dracaenaceae* R.A. Sal-
 isbury, 1866, *nom. cons.*
Sansevieriaceae Nakai, 1936
 598. *Nolinaceae* Nakai, 1943
 599. *Herreriaceae* Endlicher,
 1841
 600. *Asteliaceae* Dumortier,
 1829
 218. *Hanguanales* R. Dahlgren
ex Reveal, 1992
 601. *Hanguanaceae* Airy Shaw,
 1965
 219. *Agavales* Hutchinson, 1934
 602. *Asphodelaceae* A.L. Jussie-
 1789
 603. *Aloaceae* Batsch, 1802
 604. *Anthericaceae* J. Agardh,
 1858
Laxmanniaceae Bubani, 1901-
 1902
 605. *Aphyllanthaceae* Bur-
 nett, 1835
 606. *Luzuriagaceae* J.P. Lotsy,
 1911
 607. *Phormiaceae* J. Agardh,
 1858
Dianellaceae R.A. Salisbury, 1866
 608. *Doryanthaceae* R. Dahlgren
 & Clifford, 1985
 609. *Lanariaceae* Huber *ex* R.
 Dahlgren, 1988
 610. *Hemerocallidaceae* R. Brow-

- 1810
 611. *Agavaceae* Endlicher, 1841,
nom. cons.
Yuccaceae J. Agardh, 1858
 612. *Hostaceae* B. Mathew,
 1988, *nom. cons. prop.*
Funkiaceae Horaninow, 1834
 613. *Blandfordiaceae* Dahlgren
& Clifford, 1985
 614. *Dasygordonaceae* Dumortier, 1829
Kingiaceae Endlicher, 1838
 615. *Lomandraceae* J.P. Lotsy,
 1911
Xerotaceae Endlicher, 1838, *nom. illeg.*
 616. *Calectasiaceae* Endlicher,
 1838
 617. *Xanthorrhoeaceae* Dumortier, 1829, *nom. cons.*
 20. *Alliales* Traub, 1972
 618. *Ixiolirionaceae* (Pax) Nakai,
 1943
 619. *Hyacinthaceae* Batsch *ex*
 Borckhausen, 1797
Scillaceae Vest, 1818
Eucomidaceae R.A. Salisbury,
 1866
Lachenaliaceae R.A. Salisbury,
 1866
Ornithogalaceae R.A. Salisbury,
 1866
 620. *Hesperocallidaceae* Traub,
 1972
 621. *Alliaceae* J. Agardh, 1858,
nom. cons.
Gilliesiaceae Lindley, 1826
Agapanthaceae Voigt, 1850
Cepaceae R.A. Salisbury, 1866
Themidaceae R.A. Salisbury,
 1866
Tulbaghiaceae R.A. Salisbury,
 1866
622. *Milulaceae* Traub, 1972
 221. *Amaryllidales* Bromhead,
 1840
Narcissales Dumortier, 1829
 623. *Amaryllidaceae* Jaume
 Saint-Hilaire, 1805, *nom. cons.*
Narcissaceae A.L. Jussieu, 1789
Leucojaceae Batsch *ex* Borck-
 hausen, 1797
Crinaceae Vest, 1818
Brunsvigiaceae Horaninow, 1834
Galanthaceae G. Meyer, 1836
Gethyllidaceae Rafinesque, 1838
Pancratiaaceae Horaninow, 1847
Abaminaceae J. Agardh, 1858,
nom. illeg.
Cyrtanthaceae R.A. Salisbury,
 1866
Haemanthaceae R.A. Salisbury,
 1866
Oporanthaceae R.A. Salisbury,
 1866
Strumariaceae R.A. Salisbury,
 1866
Zephyranthaceae R.A. Salisbury,
 1866
 624. *Hypoxidaceae* R. Brown,
 1814, *nom. cons.*
 222. *Velloziiales* R. Dahlgren *ex*
 Reveal, 1992
 625. *Velloziaceae* Endlicher,
 1841, *nom. cons.*
Barbaceniaceae Arnott, 1842
 626. *Acanthochlamydaceae* (S.C.
 Chen) P.C. Kao, 1992
 223. *Smilacales* Lindley, *Niz. Pl.*
 23. 1833
 627. *Philesiaceae* Dumortier,
 1829, *nom. cons.*
Lapageriaceae Kunth, 1850
 628. *Ripogonaceae* Conran &
 Clifford, 1985
 629. *Smilacaceae* Ventenat,

- 1799, *nom. cons.*
630. Petermanniaceae Hutchinson, 1934, *nom. cons.*
224. Dioscoreales J.D. Hooker, 1876
- Tamales* Dumortier, 1829
631. Stenomeridaceae J. Agardh, 1858, *nom. cons.*
632. Dioscoreaceae R. Brown, 1810, *nom. cons.*
- Tamaceae* Martinov, 1820
- Tannaceae* Kickx f., 1826
633. Trichopodaceae Hutchinson, 1934, *nom. cons.*
634. Stemonaceae Engler, 1887, *nom. cons.*
- Roxburghiaceae* Wallich, 1832
635. Croomiaceae Nakai, 1937
636. Pentastemonaceae Duyfjes, 1992
225. Taccales Dumortier, 1829
637. Taccaceae Dumortier, 1829, *nom. cons.*
226. Orchidales Dumortier, 1829
638. Apostasiaceae Lindley, 1833, *nom. cons., emend. prop.*
639. Neuwiediaceae (Burns-Balogh & Funk) R. Dahlgren ex Reveal & Hoogland, 1991
640. Cypripediaceae Lindley, 1833
641. Orchidaceae A.L. Jussieu, 1789, *nom. cons.*
- Neottiaceae* Horaninow, 1834
- Vanillaceae* Lindley, 1835
- Limodoraceae* Horaninow, 1847
- WW. Hydatellanae Takhtajan ex Reveal, 1992
227. Hydatellales Cronquist in Takhtajan, 1980
642. Hydatellaceae Hamann, 1976
- XII. Commelinidae Takhtajan, 1967
- XX. Bromelianaee R. Dahlgren ex Reveal, 1992
228. Bromeliales Dumortier, 1829
643. Bromeliaceae A.L. Jussieu, 1789, *nom. cons.*
- Tillandsiaceae* Adr. Jussieu, 1843
- YY. Pontederianae Takhtajan ex Reveal, 1992
229. Philydriales Dumortier, 1829
644. Philydraceae Link, 1821, *nom. cons.*
230. Pontederiales J.D. Hooker, 1876
645. Pontederiaceae Kunth, 1816, *nom. cons.*
- Heterantheraceae* J. Agardh, 1858
231. Haemodorales Hutchinson, 1934
646. Haemodoraceae R. Brown, 1810, *nom. cons.*
- Xiphidiaceae* Dumortier, 1829
- Dilatridaceae* Roemer, 1840
647. Conostylidaceae (Pax) Takhtajan, 1987
- ZZ. Typhanae Thorne ex Reveal, 1992
232. Typhales Dumortier, 1829
648. Sparganiaceae F. Rudolfi, 1830, *nom. cons.*
649. Typhaceae A.L. Jussieu, 1789, *nom. cons.*
- AAA. Commelinanae Takhtajan, 1967
233. Xyridales Lindley, 1846
650. Rapateaceae Dumortier, 1829, *nom. cons.*
651. Xyridaceae C. Agardh, 1823, *nom. cons.*
652. Abolbodaceae Nakai, 1943
234. Commelinales Dumortier, 1829
- Ephemerales* Burnett, 1835
653. Cartonemataceae Pichon,

- 1946, *nom. cons.*
654. Commelinaceae R. Brown, 1810, *nom. cons.*
- Ephemeraceae* Batsch, 1802, *nom. rej. prop.*, non Hampe, 1837, *nom. cons. prop.*
235. Mayacales Nakai, 1943
655. Mayacaceae Kunth, 1842, *nom. cons.*
236. Eriocaulales Nakai, 1930
656. Eriocaulaceae Palisot de Beauvois *ex* Desvaux, 1828, *nom. cons.*
- BBB. Juncanae Takhtajan, 1967
237. Juncales Dumortier, 1829
657. Thurniaceae Engler, 1907, *nom. cons.*
658. Juncaceae A.L. Jussieu, 1789, *nom. cons.*
238. Cyperales Burnett, 1835
659. Cyperaceae A.L. Jussieu, 1789, *nom. cons.*
- Scirpaceae* Batsch *ex* Borckhausen, 1797
- Caricaceae* Sprengel *ex* Weinmann, 1824, non Dumortier, *nom. cons.*, 1829
- Papyraceae* Burnett, 1835
- Kobresiaceae* Gilly, 1952
239. Restionales Perleb, 1838
660. Flagellariaceae Dumortier, 1829, *nom. cons.*
661. Joinvilleaceae Tomlinson & A.C. Smith, 1970
662. Restionaceae R. Brown, 1810, *nom. cons.*
- Elegiaceae* Rafinesque, 1838
663. Anarthriaceae D. Cutler & Airy Shaw, 1965
664. Ecdeiocoleaceae D. Cutler & Airy Shaw, 1965
665. Centrolepidaceae Endlicher, 1836, *nom. cons.*
- Devauxiaceae* Dumortier, 1829, *nom. illeg.*
240. Poales Burnett, 1835
- Avenales* Bromhead, 1838
666. Anomochloaceae Nakai, 1943
667. Streptochaetaceae Nakai, 1943
668. Bambusaceae Burnett, 1835
669. Poaceae (R. Brown) Barnhart, 1895, *nom. cons.*
- Gramineae* A.L. Jussieu, 1789, *nom. cons.; nom. alt.*
- Aegilopaceae* Martinov, 1820
- Alopecuraceae* Martinov, 1820
- Andropogonaceae* Martinov, 1820
- Avenaceae* Martinov, 1820
- Maydaceae* Martinov, 1820
- Melicaceae* Martinov, 1820
- Nardaceae* Martinov, 1820
- Saccharaceae* Martinov, 1820
- Agrostidaceae* Sprengel *ex* Weinmann, 1824
- Chloridaceae* Sprengel *ex* Weinmann, 1824
- Festucaceae* Sprengel *ex* Weinmann, 1824
- Hordeaceae* Sprengel *ex* Weinmann, 1824
- Oryzaceae* Sprengel *ex* Weinmann, 1824
- Panicaceae* Sprengel *ex* Weinmann, 1824
- Miliaceae* Burnett, 1835
- Phalaridaceae* Burnett, 1835
- Spartinaceae* Burnett, 1835
- Stipaceae* Burnett, 1835
- Zeaceae* Kerner, 1891
- Arundinaceae* (Dumortier) Hertter, 1940
- Arundinellaceae* (Stapf) Hertter, 1940

- Eragrostidaceae* (Stapf) Herter, 1940
- Pappophoraceae* (Kunth) Herter, 1940
- Lepturaceae* (Holmberg) Herter, 1940
- Pharaceae* (Stapf) Herter, 1940
- Sporobolaceae* Herter, 1941
- Tristeginaceae* (Link) Herter, 1941
- Parianaceae* Nakai, 1943
- XIII. *Zingiberidae* Cronquist, 1978
- CCC. *Zingiberanae* Takhtajan *ex Reveal*, 1992
241. *Musales* Burnett, 1835
670. *Musaceae* A.L. Jussieu, 1789, *nom. cons.*
671. *Strelitziaceae* (Schumann) Hutchinson, 1934, *nom. cons.*
672. *Heliconiaceae* (A. Richard) Nakai, 1941
673. *Lowiaceae* Ridley, 1924, *nom. cons.*
242. *Zingiberales* Grisebach, 1854
- Amomales* Lindley, 1833
674. *Zingiberaceae* Lindley, 1835, *nom. cons.*
- Amomaceae* Jaume Saint-Hilaire, 1805
- Curcumaceae* Dumortier, 1829
- Alpiniaceae* R. Brown *ex* F. Rudolphi, 1830
675. *Costaceae* (Meisner) Nakai, 1941
243. *Cannales* Dumortier, 1829
676. *Cannaceae* A.L. Jussieu, 1789, *nom. cons.*
677. *Marantaceae* Petersen, 1888, *nom. cons.*
- XIV. *Arecidae* Takhtajan, 1967
- DDD. *Aranae* Thorne *ex* Reveal, 1992
244. *Acorales* Burnett, 1835
678. *Acoraceae* Martinov, 1820
245. *Arales* Dumortier, 1829
679. *Araceae* A.L. Jussieu, 1789, *nom. cons.*
- Pistiaceae* Richard *ex* C. Agardh, 1822
- Callaceae* Reichenbach *ex* Bartling, 1830
- Orontiaceae* Bartling, 1830
- Arisaraceae* Rafinesque, 1838
- Pothaceae* Rafinesque, 1838
- Cryptocorynaceae* J. Agardh, 1858
- Caladiaceae* R.A. Salisbury, 1866
- Dracontiaceae* R.A. Salisbury, 1866
680. *Lemnaceae* Gray, 1821, *nom. cons.*
- Wolffiaceae* Bubani, 1901-1902
- EEE. *Cyclanthanae* Thorne *ex* Reveal, 1992
246. *Cyclanthales* Nakai, 1930
681. *Cyclanthaceae* Poiteau *ex* A. Richard, 1824, *nom. cons., emend. prop.*
- FFF. *Pandananae* Thorne *ex* Reveal, 1992
247. *Pandanales* Lindley, 1833
682. *Pandanaceae* R. Brown, 1810, *nom. cons.*
- Freycinetiaceae* Brongniart *ex* Le Maout & Decaisne, 1868
- GGG. *Arecanae* Takhtajan, 1967
248. *Arecales* Bromhead, 1840
- Phoeniccales* Burnett, 1835
- Cocosales* Nakai, 1930
683. *Arecaceae* Schultz-Schultzenstein, 1832, *nom. cons.*
- Palmae* A.L. Jussieu, 1879, *nom. cons.; nom. alt.*
- Coryphaceae* Sprengel *ex* Weinmann, 1824
- Phoenicaceae* Sprengel *ex* Wein-

mann, 1824	<i>Ceroxylaceae</i> O. Cook, 1913
<i>Borassaceae</i> Schultz-Schultzenstein, 1832	<i>Chamaedoreaceae</i> O. Cook, 1913
<i>Cocosaceae</i> Schultz-Schultzenstein, 1832	<i>Geonomataceae</i> O. Cook, 1913
<i>Sabalaceae</i> Schultz-Schultzenstein, 1832	<i>Iriarteaceae</i> O. Cook, 1913
<i>Sagaceae</i> Schultz-Schultzenstein, 1832	<i>Lepidocaryaceae</i> O. Cook, 1913
<i>Phytelphantaceae</i> C. Martius ex Perleb, 1838	<i>Malortieaceae</i> O. Cook, 1913
<i>Acristaceae</i> O. Cook, 1913	<i>Manicariaceae</i> O. Cook, 1910
	<i>Pseudophoenicaceae</i> O. Cook, 1913
	<i>Synechanthaceae</i> O. Cook, 1913
	684. <i>Nypaceae</i> Brongniart ex Le Maout & Decaisne, 1868

Index to Names

<i>Abaminaceae</i> , 623	<i>Aesculaceae</i> , 344
<i>Abolbodaceae</i> , 652	<i>Aesculales</i> , 126
<i>Acalyphaceae</i> , 187	<i>Aextoxicaceae</i> , 426
<i>Acanthaceae</i> , 540	<i>Agapanthaceae</i> , 621
<i>Acanthales</i> , 192	<i>Agavaceae</i> , 611
<i>Acanthochlamydaceae</i> , 626	<i>Agavales</i> , 219
<i>Acarnaceae</i> , 448	<i>Agdestidaceae</i> , 77
<i>Aceraceae</i> , 345	<i>Agroniaceae</i> , 354
<i>Acerales</i> , 126	<i>Agrostidaceae</i> , 669
<i>Achariaceae</i> , 218	<i>Ailanthaceae</i> , 320
<i>Achatocarpaceae</i> , 79	<i>Aitoniaceae</i> , 324
<i>Achradaceae</i> , 144	<i>Aizoaceae</i> , 82
<i>Achyranthaceae</i> , 91	<i>Akaniaceae</i> , 342
<i>Acoraceae</i> , 678	<i>Alangiaceae</i> , 417
<i>Acorales</i> , 244	<i>Alchemillaceae</i> , 354
<i>Acristaceae</i> , 683	<i>Aldrovandaceae</i> , 374
<i>Actaeaceae</i> , 56	<i>Alismataceae</i> , 557
<i>Actinidiaceae</i> , 93	<i>Alismatales</i> , 199
<i>Actinidiiales</i> , 36	<i>Alismatanae</i> , SS
<i>Adenogrammaceae</i> , 86	<i>Alismatidae</i> , IX
<i>Adoxaceae</i> , 440	<i>Alliaceae</i> , 621
<i>Adoxales</i> , 161	<i>Alliales</i> , 220
<i>Aegialitidaceae</i> , 153	<i>Allioniaceae</i> , 81
<i>Aegicerataceae</i> , 149	<i>Allophyllaceae</i> , 337
<i>Aegilopaceae</i> , 669	<i>Aloaceae</i> , 603
<i>Aeginetiaceae</i> , 531	<i>Alopecuraceae</i> , 669
<i>Aegiphilaceae</i> , 546	<i>Alpiniaceae</i> , 674

- Alseuosmiaceae, 402
 Alsinaceae, 66
Alsinastraceae, 122
Alsodeiaceae, 206
Alstroemeriaceae, 578
Alstroemerales, 211
Altingiaceae, 264
Alzateaceae, 490
Amaranthaceae, 91
Amaranthales, 34
Amaryllidaceae, 623
Amaryllidales, 221
Amborellaceae, 15
Ambrosiaceae, 450
Ambrosiales, 165
Ammanniaceae, 486
Ammiaceae, 437
Ammiales, 159
Amomaceae, 674
Amomales, 242
Ampelopsidaceae, 390
Amygdalaceae, 355
Amyridaceae, 316
Anacardiaceae, 326
Anagallidaceae, 150
Anarthriaceae, 663
Anchusaceae, 476
Ancistrocladaceae, 117
Ancistrocladales, 42
Andromedaceae, 134
Andropogonaceae, 669
Androstachyaceae, 190
Androsynaceae, 587
Anemonaceae, 55
Angelicaceae, 437
Angelicales, 159
Anisophylleaceae, 379
Annonaceae, 10
Annonales, 5
Anomochloaceae, 666
Anrederaceae, 71
Anthemidaceae, 449
Anthericaceae, 604
Anthobolaceae, 245
Anthobolales, 89
Antidesmataceae, 195
Antirrhinaceae, 527
Antoniaceae, 506
Aparinaceae, 509
Aphloiacae, 208
Aphyllanthaceae, 605
Apiaceae, 437
Apiales, 159
Apocynaceae, 513
Apocynales, 183
Apodanthaceae, 42
Aponogetonaceae, 561
Aponogetonales, 201
Aporusaceae, 188
Apostasiaceae, 638
Aptandraceae, 240
Aquifoliaceae, 107
Aquifoliales, 39
Aquilariaeae, 201
Araceae, 679
Aragoaceae, 527
Arales, 245
Araliaceae, 434
Araliales, 159
Aralianae, JJ
Aralidiaceae, 420
Aralidiales, 152
Aranae, DDD
Arbutaceae, 134
Arceuthobiaceae, 249
Arctostaphylaceae, 134
Arctotidaceae, 448
Ardisiaceae, 148
Arecaceae, 683
Arecales, 248
Arecanae, GGG
Arecidae, XIV
Argophyllaceae, 395
Arisaraceae, 679
Aristolochiaceae, 11
Aristolochiales, 6

- Aristolochiaceae*, 168
Armeriaceae, 154
Artemisiaceae, 449
Artocarpaceae, 180
Arundinaceae, 669
Arundinellaceae, 669
Asaraceae, 11
Asarales, 6
Asclepiadaceae, 515
Asclepiadales, 184
Ascyraceae, 121
Aspalathaceae, 352
Asparagaceae, 595
Asparagales, 216
Asperulaceae, 509
Asphodelaceae, 602
Aspidiaceae, 593
Asteliaceae, 600
Asteliales, 217
Asteraceae, 449
Asterales, 165
Asteranae, KK
Asteranthaceae, 128
Asteridae, VII
Asteropeiaceae, 99
Astragalaceae, 352
Astrocarpaceae, 228
Athanasiaceae, 449
Atherospermataceae, 19
Atriplicaceae, 88
Atriplicales, 33
Atropaceae, 461
Aucubaceae, 418
Aurantiaceae, 316
Austrobaileyaceae, 14
Austrobaileyales, 8
Avenaceae, 669
Avenales, 240
Averrhoaceae, 296
Avicenniaceae, 551
Azaleaceae, 133
Azimaceae, 236
Balanitaceae, 293
Balanopaceae, 270
Balanopales, 101
Balanophoraceae, 255
Balanophorales, 91
Balanophoranae, W
Balsameaceae, 325
Balsaminaceae, 305
Balsaminales, 113
Bambusaceae, 668
Barbaceniaceae, 625
Barbeuiaceae, 78
Barbeyaceae, 184
Barbeyales, 63
Barclayaceae, 38
Barringtoniaceae, 124
Basellaceae, 71
Bataceae, 238
Batales, 87
Baueraceae, 384
*Bauhinia*ceae, 349
Begoniaceae, 225
Begoniales, 80
Belangeraceae, 383
Belloniaceae, 543
Belvisiaceae, 126
Bennettiaceae, 197
Berberidaceae, 51
Berberidales, 26
Berberidopsidaceae, 207
Bertyaceae, 187
*Berzeliae*ceae, 380
*Besleriae*ceae, 543
Betaceae, 88
Betulaceae, 277
Betulales, 107
Biebersteiniaceae, 299
Bifariaceae, 249
Bignoniaceae, 521
Bignoniales, 188
Bischofiaceae, 191
Bixaceae, 203
Bizales, 70
Blakeaceae, 496

- Blakelliaceae*, 210
Blandfordiaceae, 613
Blattiaceae, 488
Blepharocaryaceae, 329
Blitaceae, 88
Blyzaceae, 558
Boerlagellaceae, 145
Bolivariaceae, 518
Bombacaceae, 176
Bonnetiaceae, 119
Bontiaceae, 526
Boopidaceae, 447
Boraginaceae, 476
Boraginales, 171
Borassaceae, 683
Boroniaceae, 316
Botryodendraceae, 434
Bougainvilleaceae, 81
Brassicaceae, 235
Brassicales, 85
Bretschneideraceae, 343
Brexiaceae, 408
Brexiales, 147
Bromeliaceae, 643
Bromeliales, 228
Bromelianae, XX
Brunelliaceae, 386
Bruniaceae, 380
Bruniales, 142
Brunoniaceae, 460
Brunoniales, 167
Brunsvigiaceae, 623
Bryoniaceae, 224
Bucidaceae, 498
Bucklandiaceae, 262
Buddlejaceae, 525
Buglossaceae, 476
Bulbocodiaceae, 579
Bumeliaceae, 144
Bupleuraceae, 437
Burmanniaceae, 590
Burmanniales, 215
Burseraceae, 325
Burserales, 121
Butneriaceae, 23
Butomaceae, 555
Butomales, 198
Butomanae, RR
Buxaceae, 266
Buxales, 98
Byblidaceae, 428
Byblidales, 156
Byttneriaceae, 166
Cabombaceae, 35
Cacaoaceae, 166
Cactaceae, 73
Cactales, 31
Caesalpiniaceae, 349
Caladiaceae, 679
Calceolariaceae, 527
Calectasiaceae, 616
Calendulaceae, 449
Callaceae, 679
Callicomaceae, 383
Calligonaceae, 156
Callitrichaceae, 544
Callitrichales, 194
Calochortaceae, 582
Calophyllaceae, 120
Calthaceae, 56
Calycanthaceae, 23
Calycanthales, 10
Calyceraceae, 447
Calycerales, 164
Cambogiaceae, 120
Camelliaceae, 97
Camelliales, 38
Campanulaceae, 454
Campanulales, 166
Campanulanae, LL
Campynemataceae, 577
Candolleaceae, 376
Canellaceae, 13
Canellales, 7
Cannabaceae, 183
Cannaceae, 676

- Cannales, 243
Canopodaceae, 245
Canotiaceae, 158
Cansjeraceae, 243
Capparaceae, 232
Capparales, 84
Caprariaceae, 527
Caprifoliaceae, 438
Caprifoliales, 160
Cardamindaceae, 306
Cardiopteridaceae, 425
Carduaceae, 448
Carduales, 165
Caricaceae, 220
Caricaceae, 659
Caricales, 76
Carissaceae, 513
Carlemanniaceae, 439
Carpinaceae, 278
Carpodetaceae, 401
Cartonemataceae, 653
Caryocaraceae, 104
Caryophyllaceae, 68
Caryophyllales, 29
Caryophyllanae, F
Caryophyllidae, III
Cassiaceae, 349
Cassiales, 129
Cassipoureaceae, 294
Cassaviaceae, 326
Cassythaceae, 25
Castaneaceae, 281
Castelaceae, 320
Casuarinaceae, 265
Casuarinales, 97
Catesbaeaceae, 509
Cauliniaceae, 568
Cecropiaceae, 181
Cedrelaceae, 324
Celastraceae, 157
Celastrales, 59
Celastranae, P
Celosiaceae, 91
Celtidaceae, 179
Centaureaceae, 448
Centrolepidaceae, 665
Cepaceae, 621
Cephalanthaceae, 508
Cephalotaceae, 361
Cephalotales, 134
Cerastiaceae, 68
Ceratoniaceae, 349
Ceratophyllaceae, 33
Ceratophyllales, 16
Cerberaceae, 513
Cercidiphyllaceae, 260
Cercidiphyllales, 95
Cercocarpaceae, 354
Cercodiaceae, 410
Cereaceae, 73
Cerithiaceae, 476
Ceroxylaceae, 683
Cestraceae, 461
Cevalliaciae, 483
Chailletiaceae, 198
Chamaedoreaceae, 683
Chamaeleaceae, 319
Chamelaciaceae, 501
Chelidoniaceae, 59
Chelonaceae, 527
Chenopodiaceae, 88
Chenopodiales, 33
Chimonanthaceae, 23
Chingithamnaceae, 157
Chiranthodendraceae, 166
Chironiaceae, 516
Chironiales, 185
Chloanthaceae, 552
Chloranthaceae, 28
Chloranthales, 13
Chloridaceae, 669
Chrysobalanaceae, 102
Ciceraceae, 352
Cichoriaceae, 448
Cinchonaceae, 508
Cinchonales, 181

- Circaeaceae*, 499
Circaeasteraceae, 57
Cissaceae, 390
Cistaceae, 205
Cistales, 70
Citraceae, 316
Citiales, 119
Clematidaceae, 55
Cleomaceae, 233
Clethraceae, 131
Clusiaceae, 120
Cneoraceae, 319
Cnestidaceae, 348
Cnicaceae, 448
Cobaeaceae, 481
Cochlospermaceae, 204
Cocosaceae, 683
Cocosales, 248
Coffeaceae, 509
Colchicaceae, 579
Colchicales, 212
Coleogynaceae, 354
Columelliaceae, 406
Combretaceae, 498
Combretales, 177
Commelinaceae, 654
Commelinales, 234
Commelinanae, AAA
Commelinidae, XII
Comocladiaeae, 326
Compositae, 449
Compsoaceae, 580
Conantheraceae, 587
Connaraceae, 348
Connarales, 128
Conostylidaceae, 647
Convallariaceae, 593
Convolvulaceae, 469
Convolvulales, 170
Cordiaceae, 474
Coreopsidaceae, 449
Coriandraceae, 437
Coriariaceae, 333
Coriariales, 124
Coridaceae, 151
Corispermaceae, 88
Cornaceae, 415
Cornales, 150
Cornanae, GG
Coronillaceae, 352
Correaceae, 316
Corrigiolaceae, 86
Corsiaceae, 592
Corydalaceae, 65
Corylaceae, 279
Corylales, 107
Corynocarpaceae, 424
Coryphaceae, 683
Costaceae, 675
Cotyledonaceae, 360
Coutareaceae, 509
Coutoubeaceae, 516
Crassulaceae, 360
Crassulales, 133
Crescentiaceae, 521
Cressaceae, 469
Crinaceae, 623
Crocaceae, 586
Croomiaceae, 635
Crossosomataceae, 358
Crossosomatales, 132
Crotonaceae, 187
Crotonales, 66
Cruciferae, 235
Cryptaceae, 122
Crypteroniaceae, 493
Cryptocorynaceae, 679
Ctenolophonaceae, 283
Cucurbitaceae, 224
Cucurbitales, 79
Cunoniaceae, 383
Cunoniales, 144
Curcumaceae, 674
Curtisiaceae, 416
Cuscutaceae, 471
Cuspariaceae, 316

- Cyananthaceae*, 454
Cyanastraceae, 588
Cyanellaceae, 587
Cyclanthaceae, 681
Cyclanthales, 246
Cyclanthanae, EEE
Cyclocheilaceae, 549
Cydoniaceae, 356
Cymodoceaceae, 569
Cymodoceales, 206
Cynanchaceae, 515
Cynaraceae, 448
Cynocrambaceae, 512
Cynomoriaceae, 256
Cynomoriales, 92
Cyperaceae, 659
Cyperales, 238
Cyphiaceae, 455
Cyphocarpaceae, 458
Cypripediaceae, 640
Cyrillaceae, 132
Cyrtandraceae, 543
Cyrtanthaceae, 623
Cytinaceae, 41
Cytinales, 21
Dactylanthaceae, 251
Damasoniaceae, 557
Daphnaceae, 202
Daphnales, 69
Daphniphyllaceae, 269
Daphniphyllales, 100
Dasypogonaceae, 614
Datisaceae, 226
Datiscales, 81
Daturaceae, 461
Dauaceae, 437
Davidiaceae, 412
Davidsoniaceae, 387
Deeringiaceae, 91
Degeneriaceae, 7
Dendrophthoaceae, 249
Desfontainiaceae, 407
Detariaceae, 349
Devauxiaceae, 665
Dialypetalanthaceae, 511
Dianellaceae, 607
Dianthaceae, 68
Dianthales, 29
Diapensiaceae, 377
Diapensiales, 140
Dichapetalaceae, 198
Dichondraceae, 470
Diclidantheraceae, 313
Dictamnaceae, 316
Didiereaceae, 72
Didymelaceae, 268
Didymelales, 99
Didymocarpaceae, 543
Diegodendraceae, 174
Digitalidaceae, 527
Dilatridaceae, 646
Dilleniaceae, 92
Dilleniales, 35
Dilleniana, G
Dilleniidae, IV
Dionaeaceae, 373
Dioncophyllaceae, 118
Dioncophyllales, 43
Dioscoreaceae, 632
Dioscoreales, 224
Diosmaceae, 316
Diospyraceae, 141
Diospyrales, 52
Dipentodontaceae, 213
Diphylliaceae, 49
Diplarchaceae, 133
Diplolaenaceae, 316
Dipsacaceae, 445
Dipsacales, 163
Dipterocarpaceae, 172
Dirachmaceae, 301
Disanthaceae, 262
Dodonaeaceae, 334
Dombeyaceae, 166
Donatiaceae, 375
Dorsteniaceae, 180

Doryanthaceae,	608	Eremolepidaceae,	248
Drabaceae,	235	Eremosynaceae,	367
Dracaenaceae,	597	Ericaceae,	133
Dracontiaceae,	679	Ericales,	49
Droseraceae,	371	Ericanae,	L
Droserales,	138	Erinaceae,	527
Drosophyllaceae,	372	Eriocaulaceae,	656
Dryadaceae,	354	Eriocaulales,	236
Duabangaceae,	487	Eriogonaceae,	155
Duckeodendraceae,	464	Eriospermaceae,	589
Dulongiaceae,	398	Erodiaeae,	300
Durantaceae,	546	Erycibaceae,	467
Dysphaniaceae,	87	Eryngiaceae,	436
Ebenaceae,	141	Erysimumaceae,	235
Ebenales,	52	Erythroniaceae,	581
Ecdeiocoleaceae,	664	Erythropalaceae,	242
Echiaceae,	476	Erythroxylaceae,	287
Echiales,	171	Escalloniaceae,	394
Echinopaceae,	448	Eschscholtziaceae,	60
Ehretiaceae,	473	Eucomidaceae,	619
Elaeagnaceae,	186	Eucommiaceae,	421
Elaeagnales,	65	Eucommiales,	153
Elaeocarpaceae,	168	Eucommianae,	HH
Elatinaceae,	122	Eucryphiaceae,	385
Elatinales,	45	Euonymaceae,	157
Elegiaceae,	662	Eupatoriaceae,	449
Elismataceae,	558	Euphorbiaceae,	187
Ellisiaceae,	472	Euphorbiales,	66
Ellisiophyllaceae,	530	Euphorbianae,	T
Elodeaceae,	558	Euphrasiaceae,	527
Elodeales,	200	Euphroniaceae,	310
Elytranthaceae,	247	Eupomatiaceae,	9
Embeliaceae,	148	Eupomatiiales,	4
Emblingiaceae,	336	Eupteleaceae,	259
Embothriaceae,	353	Eupteleales,	94
Empetraceae,	139	Euryalaceae,	37
Empetrales,	50	Euryalales,	18
Enhalaceae,	558	Eutocaceae,	472
Epacridaceae,	137	Exocarpaceae,	245
Ephemeraceae,	654	Fabaceae,	352
Ephemerales,	234	Fabales,	129
Epilobiaceae,	499	Fabanae,	CC
Eragrostidaceae,	669	Fagaceae,	281

Fagales, 108	Gentiananae, PP
Festucaceae, 669	Geonomataceae, 683
Ficaceae, 180	Geosiridaceae, 585
Ficales, 61	Geraniaceae, 300
Ficoideaceae, 82	Geraniales, 112
Flacourtiaceae, 209	Geranianaee, AA
Flacourtiiales, 72	Gesneriaceae, 543
Flagellariaceae, 660	Gesneriales, 193
Flindersiaceae, 317	Gethyllidaceae, 623
Foetidaceae, 125	Gilliesiaceae, 621
Forestieraceae, 519	Ginalloaceae, 249
Fothergillaceae, 262	Gisekiaceae, 75
Fouquieriaceae, 140	Gladiolaceae, 586
Fouquieriales, 51	Glaucidiaeae, 45
Fragariaceae, 354	Glaucidiales, 23
Francoaceae, 365	Glechomaceae, 553
Frangulaceae, 185	Glinaceae, 86
Frankeniaceae, 223	Globulariaceae, 534
Fraxinaceae, 519	Globulariales, 190
Fraxinellaceae, 316	Gnaphaliaceae, 449
Fremontiaceae, 166	Goetzeaceae, 465
Freycinetiaceae, 682	Gomortegaceae, 21
Fritillariaceae, 581	Gomphiaceae, 112
Fugosiaceae, 177	Gomphrenaceae, 91
Fumariaceae, 65	Gonystylaceae, 200
Funkiaceae, 612	Goodeniaceae, 459
Gaiadendraceae, 247	Goodeniales, 167
Galacaceae, 377	Gordoniaceae, 97
Galanthaceae, 623	Gouaniaceae, 185
Galaziaceae, 586	Goupiaceae, 162
Galedupaceae, 352	Gramineae, 669
Galeniaceae, 82	Gratiolaceae, 527
Galiaceae, 509	Greyiaceae, 370
Galiales, 181	Grikelaceae, 357
Garciniaceae, 120	Griseliniaee, 400
Gardeniaceae, 509	Gronoviaeae, 483
Gardneriaceae, 503	Grossulariaceae, 364
Garryaceae, 419	Grossulariales, 136
Garryales, 151	Grubbiaceae, 381
Geissolomataceae, 382	Guaiacanaceae, 141
Geissolomatales, 143	Guettardaceae, 509
Gentianaceae, 516	Gunneraceae, 409
Gentianales, 185	Gunnerales, 148

- Gustaviaceae*, 127
Guttiferae, 120
Gyrocarpaceae, 27
Gyrocarpales, 12
Gyrostemonaceae, 237
Haemanthaceae, 623
Haemodoraceae, 646
Haemodorales, 231
Halesiaceae, 143
Halophilaceae, 560
Halophytaceae, 85
Haloragaceae, 410
Haloragales, 149
Hamamelidaceae, 262
Hamamelidales, 96
Hamamelidanae, Y
Hamamelididae, V
Hanguanaceae, 601
Hanguanales, 218
Hebenstretiaceae, 529
Hectorellaceae, 70
Hederaceae, 434
Hedyosmaceae, 28
Hedyotidaceae, 509
Hedysaraceae, 352
Heleniaceae, 449
Heliamphoraceae, 129a
Helianthaceae, 449
Helianthemaceae, 205
Helichryssaceae, 449
Heliconiaceae, 672
Helicteraceae, 166
Heliotropiaceae, 475
Helleboraceae, 56
Helleborales, 27
Heloniadaceae, 575
Heloseaceae, 253
Helwingiaceae, 432
Hemerocallidaceae, 610
Henriqueziaceae, 510
Henslowiaceae, 493
Hermanniaceae, 166
Hernandiaceae, 26
Herniariaceae, 67
Herreriaceae, 599
Hesperocallidaceae, 620
Heterantheraceae, 645
Heteropyxidaceae, 485
Heterostylaceae, 564
Hewardiaceae, 586
Hibbertiaceae, 92
Hibiscaceae, 177
Hilleriaceae, 76
Himantandraceae, 8
Hippocastanaceae, 344
Hippocrateaceae, 159
Hippomanaceae, 187
Hippophaeaceae, 186
Hippuridaceae, 545
Hippuridales, 195
Hirtellaceae, 102
Homaliaceae, 209
Homaliales, 72
Hoplestigmataceae, 478
Hordeaceae, 669
Hornschuchiaceae, 10
Hortensiaceae, 393
Hortoniaceae, 17
Hostaceae, 612
Houstoniaceae, 509
Huaceae, 167
Hugoniaceae, 284
Humbertiaceae, 468
Humiriaceae, 282
Hyacinthaceae, 619
Hydatellaceae, 642
Hydatellales, 227
Hydatellanae, WW
Hydnoraceae, 39
Hydnorales, 19
Hydrangeaceae, 393
Hydrangeales, 146
Hydrastidaceae, 53
Hydroceraceae, 305
Hydrocharitaceae, 558
Hydrocharitales, 200

- Hydrocotylaceae, 435
Hydrogetonaceae, 566
Hydroleaceae, 472
Hydropeltidaceae, 35
Hydrophyllaceae, 509
Hydrophyllaceae, 472
Hydrostachyaceae, 272
Hydrostachyales, 103
Hymenocardiaceae, 192
Hyoscyamaceae, 461
Hypecoaceae, 64
Hyperantheraceae, 346
Hypericaceae, 121
Hypericales, 44
Hypopityaceae, 136
Hypoxidaceae, 624
Hypseocharitaceae, 298
Icacinaceae, 422
Icacinales, 154
Idiospermaceae, 11
Illecebraceae, 67
Ilicaceae, 107
Illiciaceae, 3
Illiciales, 2
Illicheraceae, 26
Impatientaceae, 305
Imperatoriaceae, 437
Inulaceae, 449
Ionidiaceae, 206
Iriarteaceae, 683
Iridaceae, 586
Iridales, 213
Irvingiaceae, 322
Isnardiaceae, 499
Isophysidaceae, 586
Iteaceae, 396
Ixerbaceae, 408
Ixiaceae, 586
Ixiales, 213
Ixoliolirionaceae, 618
Ixonanthaceae, 285
Jalapaceae, 81
Jamboliferaceae, 316
Jasionaceae, 454
Jasminaceae, 518
Jasminales, 186
Joinvilleaceae, 661
Juglandaceae, 274
Juglandales, 105
Juglandanae, Z
Julianales, 122
Julaniaceae, 331
Juncaceae, 658
Juncaginaceae, 563
Juncaginiales, 203
Juncales, 237
Juncanae, BBB
Jussiaeaceae, 499
Justiciaceae, 541
Kaniaceae, 500
Kiggellariaceae, 211
Kingdoniaceae, 58
Kingiaceae, 614
Kirengeshomiaciae, 393
Kirkiaceae, 321
Kobresiaceae, 659
Koeberliniaceae, 231
Koelreuteriaceae, 337
Krameriaceae, 315
Labiatae, 553
Lacandoniaceae, 574
Lachenaliaceae, 619
Lacistemataceae, 212
Lacistematales, 73
Lactoridaceae, 29
Lactoridales, 14
Lactucaceae, 448
Lagerstroemiaceae, 486
Lamiaceae, 553
Lamiales, 197
Lamianae, QQ
Lamiidae, VIII
Lanariaceae, 609
Langsdorffiaaceae, 255
Lantanaceae, 546
Lapageriaceae, 627

- Lapsanaceae*, 448
Lardizabalaceae, 47
Lasiopetalaceae, 166
Lathyraceae, 352
Lauraceae, 24
Laurales, 11
Lawsoniaceae, 486
Lazmanniaceae, 604
Lecythidaceae, 127
Lecythidales, 47
Lecythidanae, J
Ledaceae, 133
Ledocarpaceae, 302
Leeaceae, 391
Legnotidaceae, 294
Leguminosae, 352
Leitneriaceae, 332
Leitneriales, 123
Lemnaceae, 680
Lennoaceae, 479
Lentibulariaceae, 535
Lentibulariales, 191
Lentiscaceae, 328
Leoniaceae, 206
Leonticaceae, 50
Lepidobotryaceae, 297
Lepidocarpaceae, 353
Lepidocaryaceae, 683
Lepidocerataceae, 249
Leptospermaceae, 501
Lepturaceae, 669
Lepuropetalaceae, 368
Leucojaceae, 623
Licaniaceae, 102
Ligustraceae, 519
Ligustrales, 186
Lilacaceae, 519
Lilaeaceae, 564
Liliaceae, 581
Liliales, 212
Lilianae, VV
Liliidae, XI
Limnanthaceae, 307
Limnanthales, 115
Limnocharitaceae, 556
Limodoraceae, 641
Limoniaceae, 154
Limosellaceae, 527
Linaceae, 286
Linales, 109
Linariaceae, 527
Lindleyaceae, 354
Lippayaceae, 509
Liriaceae, 581
Liriodendraceae, 6
Lissocarpaceae, 142
Littorellaceae, 520
Loasaceae, 483
Loasales, 173
Loasanae, NN
Lobeliaceae, 457
Loganiaceae, 502
Logoniales, 180
Lomandraceae, 615
Loniceraceae, 438
Lonicerales, 160
Lophiolaceae, 575
Lophiraceae, 110
Lophophytaceae, 254
Lophopyxidaceae, 163
Loranthaceae, 247
Loranthales, 90
Lotaceae, 352
Lotales, 129
Lowiaceae, 673
Lupulaceae, 183
Luxemburgiaceae, 112
Luzuriagaceae, 606
Lyciaceae, 461
Lygodisodeaceae, 509
Lysimachiaceae, 150
Lythraceae, 486
Lythrales, 174
Macarisiaceae, 294
Magnoliaceae, 5
Magnoliales, 3

- Magnolianae*, A
Magnoliidae, I
Malaceae, 356
Malachodendraceae, 97
Malesherbiaceae, 217
Malortieaceae, 683
Malpighiaceae, 308
Malpighiales, 116
Malvaceae, 177
Malvales, 60
Malvanae, Q
Mangiaceae, 294
Manicariaceae, 683
Marantaceae, 677
Marathraceae, 430
Marathrales, 157
Marcgraviaceae, 105
Martyniaceae, 524
Mastixiaceae, 414
Matricariaceae, 449
Maundiaceae, 565
Mayacaceae, 655
Mayacales, 235
Maydaceae, 669
Medeolaceae, 583
Medusagynaceae, 116
Medusagynales, 41
Medusandraceae, 244
Melaleucaceae, 501
Melampyraceae, 527
Melanophyllaceae, 404
Melanthiaceae, 575
Melanthiales, 210
Melastomataceae, 496
Melastomatales, 176
Meliaceae, 324
Meliales, 120
Melianthaceae, 341
Melicaceae, 669
Meliosmaceae, 338
Melittaceae, 553
Melochiaceae, 166
Memecylaceae, 497
Mendonciaceae, 539
Menispermaceae, 46
Menispermales, 24
Menthaceae, 553
Menthales, 197
Menyanthaceae, 451
Menziesiaceae, 133
Mercurialaceae, 187
Merenderaceae, 579
Mesembryaceae, 83
Mesembryanthemaceae, 83
Mespilaceae, 356
Metteniusaceae, 423
Meyeniaceae, 538
Miconiaceae, 496
Micrantheaceae, 189
Miliaceae, 669
Millingtoniaceae, 338
Milulaceae, 622
Mimosaceae, 350
Mimosales, 129
Mirabilidaceae, 81
Misodendraceae, 246
Mitrastemonaceae, 40
Mitrastemonales, 20
Modeccaceae, 216
Molluginaceae, 86
Monieraceae, 316
Monimiaceae, 18
Monimiales, 9
Monodoraceae, 10
Monotaceae, 171
Monotropaceae, 136
Montiaceae, 69
Montiniaceae, 403
Moraceae, 180
Morinaceae, 446
Moringaceae, 346
Moringales, 127
Mouririaceae, 497
Moutabeaceae, 312
Musaceae, 670
Musales, 241

- Mutisiaceae*, 448
Myoporaceae, 526
Myricaceae, 275
Myricales, 106
Myriophyllaceae, 411
Myristicaceae, 12
Myrobalanaceae, 498
Myrothamnaceae, 271
Myrothamnales, 102
Myrrhiniaceae, 500
Myrsinaceae, 148
Myrsinales, 55
Myrtaceae, 500
Myrtales, 179
Myrtanae, OO
Mystropetalaceae, 250
Najadaceae, 572
Najadales, 208
Najadanae, TT
Nandinaceae, 52
Napoleonaeaceae, 126
Narcissaceae, 623
Narcissales, 221
Nardaceae, 669
Nartheciaceae, 575
Nassauviaceae, 448
Naucleaceae, 508
Nectaropetalaceae, 287
Neilliaceae, 354
Nelsoniaceae, 536
Nelumbonaceae, 34
Nelumbonales, 17
Nelumbonanae, B
Nemacladaceae, 456
Neottiaceae, 641
Nepenthaceae, 123
Nepenthales, 46
Nepenthanae, I
Nepetaceae, 553
Nesogenaceae, 550
Neuradaceae, 357
Neuwiediaceae, 639
Nhandirobaceae, 224
- Nicotianaceae*, 461
Nigellaceae, 56
Nitrariaceae, 292
Nolanaceae, 466
Nolanales, 169
Nolinaceae, 598
Nonateliaceae, 509
Nothofagaceae, 280
Nuytsiaceae, 247
Nyctaginaceae, 81
Nyctagineales, 32
Nyctanthaceae, 518
Nymphaeaceae, 36
Nymphaeales, 18
Nymphaeanae, C
Nypaceae, 684
Nyssaceae, 413
Obolariaceae, 516
Ochnaceae, 112
Ochnales, 48
Ochranthaceae, 388
Octoknemaceae, 241
Oenotheraceae, 499
Oenotherales, 178
Olacaceae, 239
Olacales, 88
Oleaceae, 519
Oleales, 186
Oliniaceae, 495
Onagraceae, 499
Onagrales, 178
Oncothecaceae, 106
Onosmaceae, 476
Operculariaceae, 509
Ophiopogonaceae, 594
Ophiorylaceae, 513
Ophiraceae, 381
Opiliaceae, 243
Oporanthaceae, 623
Opuntiaceae, 73
Opuntiales, 31
Orchidaceae, 641
Orchidales, 226

- Ornithogalaceae*, 619
Ornithopaceae, 337
Orobanchaceae, 531
Orontiaceae, 679
Ortegaceae, 68
Oryzaceae, 669
Osyridaceae, 245
Oxalidaceae, 295
Oxalidales, 111
Oxycladaceae, 527
Oxystylidaceae, 234
Pachysandraceae, 266
Pacouriaeae, 513
Paeoniaceae, 44
Paeoniales, 22
Pagameaceae, 509
Paivaeasaceae, 189
Palmae, 683
Pancratiaeae, 623
Pandaceae, 197
Pandales, 67
Pandanaceae, 682
Pandanales, 237
Pandananae, FFF
Pangiaceae, 211
Panicaceae, 669
Papaveraceae, 61
Papaverales, 28
Papayaceae, 220
Papilionaceae, 352
Papilionales, 129
Pappophoraceae, 669
Papyraceae, 659
Paracryphiaceae, 95
Paracryphiales, 37
Parianaceae, 669
Paridaceae, 584
Paridales, 212
Parnassiaceae, 369
Parnassiales, 137
Paronychiaceae, 67
Paropsiaceae, 216
Parrotiaceae, 262
Partheniaceae, 449
Passifloraceae, 216
Passiflorales, 74
Pastinacaceae, 437
Paulowniaceae, 527
Paviaceae, 344
Pectiantiaceae, 363
Pedaliaceae, 522
Pedicularidaceae, 527
Peganaceae, 288
Peliosanthaceae, 594
Pellicieraceae, 101
Penaeaceae, 494
Penaeales, 175
Pennantiaceae, 422
Pentadiplandraceae, 230
Pentaphragmataceae, 452
Pentaphylacaceae, 130
Pentastemonaceae, 636
Penthoraceae, 362
Peperomiaceae, 32
Peraceae, 193
Perdiciaceae, 448
Peridiscaceae, 214
Periplocaceae, 514
Peripterygiaceae, 425
Perseaceae, 24
Persicariaceae, 155
Petermanniaceae, 630
Petiveriaceae, 76
Petiveriales, 32
Petreaceae, 546
Petrosaviaceae, 576
Phalaridaceae, 669
Phaleriaceae, 202
Pharaceae, 669
Pharnaceaceae, 86
Phaseolaceae, 352
Phellinaceae, 108
Phelypaeaceae, 531
Philadelphaceae, 392
Philesiaceae, 627
Philippodendraceae, 177

- Philocrenaceae*, 431
Philydraceae, 644
Philydrales, 229
Phoenicaceae, 683
Phoenicales, 248
Phoradendraceae, 249
Phormiaceae, 607
Phrymaceae, 547
Phylicaceae, 185
Phyllanthaceae, 188
Phyllonomataceae, 398
Physenaceae, 340
Phytéléphantaceae, 683
Phytocrenaceae, 422
Phytolaccaceae, 74
Picridaceae, 448
Picrodendraceae, 189
Pilocarpaceae, 316
Pinguiculaceae, 535
Pinguicularales, 191
Piperaceae, 31
Piperales, 15
Piriquetaceae, 219
Pisoniaceae, 81
Pistaciaceae, 328
Pistiaceae, 679
Pittosporaceae, 427
Pittosporales, 155
Plagianthaceae, 177
Plagiopteraceae, 169
Plantaginaceae, 520
Plantaginales, 187
Platanaceae, 261
Platycaryaceae, 274
Platymetraceae, 593
Platystemonaceae, 62
Plocospermataceae, 507
Plumbaginaceae, 152
Plumbaginales, 57
Plumbaginanae, N
Plumeriaceae, 513
Poaceae, 669
Poales, 240
Podoaceae, 327
Podophyllaceae, 49
Podophyllales, 25
Podostemaceae, 430
Podostemales, 157
Podostemonanae, II
Polemoniaceae, 482
Polemoniales, 172
Polypodaceae, 86
Polygalaceae, 312
Polygalales, 118
Polygonaceae, 155
Polygonales, 58
Polygonanae, O
Polygonanthaceae, 379
Polygonataceae, 593
Pongatiaceae, 453
Pontederiaceae, 645
Pontederiales, 230
Pontederianaes, YY
Poranaceae, 469
Porantheraceae, 188
Portulacaceae, 69
Portulacales, 30
Posidoniaceae, 568
Posidoniales, 205
Potaliaceae, 504
Potamogetonaceae, 566
Potamogetonales, 204
Potentillaceae, 354
Poteriaceae, 354
Pothaceae, 679
Pottingeriaceae, 161
Primulaceae, 150
Primulales, 56
Primulanae, M
Prionotaceae, 138
Prockiaaceae, 209
Proteaceae, 353
Proteales, 130
Proteanae, DD
Prunaceae, 355
Pseliaceae, 46

- Pseudanthaceae*, 189
Pseudophoenicaceae, 683
Psiloxylonaceae, 484
Psittacanthaceae, 247
Psychotriaceae, 509
Psylliaceae, 520
Ptaeroxylaceae, 323
Pteleaceae, 316
Pteridophyllaceae, 63
Pterisanthaceae, 390
Pterocaryaceae, 274
Pterostemonaceae, 399
Punicaceae, 489
Putranjivaceae, 194
Pyraceae, 356
Pyrolaceae, 135
Quassiacae, 320
Quercaceae, 281
Quercales, 108
Quiinaceae, 113
Quillajaceae, 354
Rafflesiales, 21
Rafflesiaceae, 43
Rafflesianae, D
Ramondaceae, 543
Randiaceae, 509
Ranunculaceae, 55
Ranunculales, 27
Ranunculanae, E
Ranunculidae, II
Rapateaceae, 650
Raphanaceae, 235
Reaumuriaceae, 222
Resedaceae, 228
Resedales, 82
Restionaceae, 662
Restionales, 239
Retziaceae, 532
Rhabdodendraceae, 318
Rhamnaceae, 185
Rhamnales, 64
Rhamnanae, S
Rhaptoperatalaceae, 114
Rhexiaceae, 496
Rhinanthaceae, 527
Rhinanthales, 189
Rhizobolaceae, 104
Rhizophoraceae, 294
Rhizophorales, 110
Rhodiolaceae, 360
Rhododendraceae, 133
Rhodolaenaceae, 173
Rhodoleiaceae, 263
Rhodoraceae, 133
Rhodotypaceae, 354
Rhoipteleaceae, 273
Rhoipteleales, 104
Rhopalocarpaceae, 175
Rhynchocalycaceae, 491
Rhynchothecaceae, 303
Ribesiaceae, 364
Ricinaceae, 187
Ricinocarpaceae, 187
Ripogonaceae, 628
Rivinaceae, 76
Robiniaceae, 352
Roridulaceae, 378
Roridulales, 141
Rosaceae, 354
Rosales, 131
Rosanae, EE
Rosidae, VI
Rousseaceae, 405
Roxburghiaceae, 634
Rubiaceae, 509
Rubiales, 181
Rumicaceae, 155
Ruppiaceae, 567
Ruppiales, 204
Ruscaceae, 596
Rutaceae, 316
Rutales, 119
Rutanae, BB
Sabalaceae, 683
Sabiaceae, 339
Sabiceaceae, 508

- Saccharaceae*, 669
Saccifoliaceae, 517
Sagaceae, 683
Saginaceae, 68
Sagoneaceae, 472
Salaciaceae, 159
Salazidaceae, 133
Salazariaceae, 554
Salicaceae, 221
Salicales, 77
Salicariaceae, 486
Salicorniaceae, 89
Salpiglossidaceae, 462
Salsolaceae, 90
Salvadoraceae, 236
Salvadorales, 86
Salviaceae, 553
Sambucaceae, 441
Samolaceae, 150
Samolales, 56
Samydaceae, 210
Samydales, 72
Sanguisorbaceae, 354
Sanguisorbales, 131
Saniculaceae, 436
Sansevieriaceae, 597
Santalaceae, 245
Santalales, 89
Santalanae, V
Santolinaceae, 449
Sapindaceae, 337
Sapindales, 125
Sapotaceae, 144
Sapotales, 54
Sarcocaceae, 74
Sarcolaenaceae, 173
Sarcophytaceae, 252
Sarcospermataceae, 146
Sargentodoxaceae, 48
Sarraceniaceae, 129
Sarraceniales, 48
Sarraceniana, K
Saurauiaceae, 94
Saururaceae, 30
Sauvagesiaceae, 111
Saxifragaceae, 363
Saxifragales, 135
Scabiosaceae, 445
Scaevolaceae, 459
Scepaceae, 188
Scheuchzeriaceae, 562
Scheuchzeriales, 202
Schinaceae, 326
Schisandraceae, 4
Schizolaenaceae, 173
Schoepfiaeae, 239
Schreberaceae, 519
Scillaceae, 619
Scirpaceae, 659
Scleranthaceae, 67
Scleranthales, 29
Sclerophylacaceae, 463
Scrophulariaceae, 527
Scrophulariales, 189
Scutellariaceae, 554
Scybalciaceae, 253
Scyphostegiaceae, 215
Scytopetalaceae, 114
Sebestenaceae, 474
Sedaceae, 360
Sedales, 133
Segueriaceae, 76
Selaginaceae, 529
Sempervivaceae, 360
Senecionaceae, 449
Serratulaceae, 448
Sesamaceae, 522
Sesuviaceae, 82
Sheadendraceae, 498
Sibthorpiaceae, 527
Sileneae, 68
Silenales, 29
Simabaceae, 320
Simaroubaceae, 320
Simmondsiaceae, 199
Simmondsiales, 68

- Siparunaceae, 20
Siphonandraceae, 134
Siphonanthaceae, 546
Siphonodontaceae, 160
Sisymbriaceae, 235
Sladeniaceae, 98
Smeathmanniaceae, 216
Smilacaceae, 629
Smilacales, 223
Smyrniaceae, 437
Solanaceae, 461
Solanales, 168
Solananae, MM
Sonneratiaceae, 488
Sophoraceae, 352
Soramiaceae, 92
Soulameaceae, 320
Sparganiaceae, 648
Sparmanniaceae, 170
Spartinaceae, 669
Spatheliaceae, 316
Spermacoceaceae, 509
Sphaerosepalaceae, 175
Sphenocleaceae, 453
Sphenostemonaceae, 109
Spielmanniaceae, 528
Spigeliaceae, 505
Spiraeaceae, 354
Spondiadaceae, 326
Sporobolaceae, 669
Stachyuraceae, 96
Stackhousiaceae, 164
Stanleyaceae, 235
Stapeliaceae, 515
Staphyleaceae, 388
Staticaceae, 154
Stegnospermataceae, 80
Stelliariaceae, 544
Stelliariaceae, 66
Stemonaceae, 634
Stenomeridaceae, 631
Stereuliaceae, 165
Stilaginaceae, 195
Stilbaceae, 533
Stipaceae, 669
Strasburgeriaceae, 115
Stratiotaceae, 558
Strelitziaceae, 671
Streptochaetaceae, 667
Strumariaceae, 623
Strychnaceae, 503
Stylidiaceae, 376
Stylidiales, 139
Stylobasiaceae, 335
Stylocerataceae, 267
Stypheliaceae, 137
Styracaceae, 143
Styracales, 53
Sumachiaceae, 326
Surianaceae, 347
Swartziaceae, 351
Swieteniaceae, 324
Symphoremataceae, 548
Symplocaceae, 103
Synechanthaceae, 683
Syringaceae, 519
Taccaceae, 637
Taccales, 225
Takhtajaniaceae, 2
Tamaceae, 632
Tamales, 224
Tamaricaceae, 222
Tamaricales, 78
Tamarindaceae, 349
Tannaceae, 632
Tanacetaceae, 449
Tapisciaceae, 389
Tecophilaeaceae, 587
Tecophilaeales, 214
Telephiaceae, 68
Tepuianthaceae, 330
Terebinthaceae, 328
Terebinthales, 119
Terminaliaceae, 498
Ternstroemiaceae, 97
Tetracarpaeaceae, 359

- Tetracentraceae, 258
 Tetrachondraceae, 480
 Tetradiclidaceae, 289
 Tetragoniaceae, 84
 Tetramelaceae, 227
 Tetrameristaceae, 100
Tetrastylidiaceae, 239
 Thalassiaceae, 559
 Thalictraceae, 54
 Theaceae, 97
 Theales, 38
 Theanae, H
 Theligonaceae, 512
 Theligonales, 182
Themidaceae, 621
Theobromataceae, 166
 Theophrastaceae, 147
Thesiaceae, 245
 Thismiaceae, 591
Thlaspiaceae, 235
 Thomandersiaceae, 542
 Thunbergiaceae, 537
 Thurniaceae, 657
 Thymelaeaceae, 202
 Thymelaeales, 69
 Ticodendraceae, 276
 Tiliaceae, 170
Tiliiales, 60
Tillaeaceae, 360
Tillandsiaceae, 643
Tinaceae, 442
Tithymalaceae, 187
Tomentillaceae, 354
 Torricelliaceae, 433
 Torricelliales, 158
 Tovariaceae, 229
 Tovariales, 83
Tragiaceae, 187
 Trapaceae, 492
Trapellaceae, 523
 Tremandraceae, 429
Trewiaceae, 187
 Tribelaceae, 397
 Tribulaceae, 290
 Trichopodaceae, 633
Triglochinaceae, 563
 Trigoniaceae, 309
 Trilliaceae, 584
 Trimeniaceae, 16
Triplobaceae, 165
Triplostegiaceae, 444
Tripterellaceae, 590
Tristegiaceae, 669
 Tristichaceae, 431
 Triuridaceae, 573
 Triuridales, 209
 Triuridanae, UU
 Triurididae, X
 Trochodendraceae, 257
 Trochodendrales, 93
 Trochodendranae, X
 Tropaeolaceae, 306
 Tropaeolales, 114
Tulbaghiaceae, 621
Tulipaceae, 581
 Turneraceae, 219
 Turnerales, 75
 Typhaceae, 649
 Typhales, 232
 Typhanae, ZZ
 Uapacaceae, 196
Ullucaceae, 71
 Ulmaceae, 178
 Ulmales, 61
Ulmariaceae, 354
Umbelliferae, 437
 Urticaceae, 182
 Urticales, 62
 Urticanae, R
Utriculariaceae, 535
 Uvulariaceae, 580
 Vacciniaceae, 134
Vacciniales, 49
 Vahliaceae, 366
 Valerianaceae, 443
 Valerianales, 162

<i>Vallisneriaceae</i> , 558	<i>Wellingtoniaceae</i> , 338
<i>Vallisneriales</i> , 200	<i>Wellstediaceae</i> , 477
<i>Vanillaceae</i> , 641	<i>Willughbeiaceae</i> , 513
<i>Velloziaceae</i> , 625	<i>Winteraceae</i> , 1
<i>Velloziales</i> , 222	<i>Winterales</i> , 1
<i>Veratraceae</i> , 575	<i>Winteranaceae</i> , 13
<i>Veratales</i> , 189	<i>Wolffiaceae</i> , 680
<i>Verbascaceae</i> , 527	<i>Xanthiaceae</i> , 450
<i>Verbenaceae</i> , 546	<i>Xanthophyllaceae</i> , 314
<i>Verbenales</i> , 196	<i>Xanthorrhoeaceae</i> , 617
<i>Vernicaceae</i> , 326	<i>Xerotaceae</i> , 615
<i>Vernoniaceae</i> , 449	<i>Ximeniaceae</i> , 239
<i>Veronicaceae</i> , 527	<i>Xiphidiaceae</i> , 646
<i>Viburnaceae</i> , 442	<i>Xyridaceae</i> , 651
<i>Viburnales</i> , 161	<i>Xyridales</i> , 233
<i>Viciaceae</i> , 352	<i>Yuccaceae</i> , 611
<i>Vincaceae</i> , 513	<i>Zannichelliaceae</i> , 570
<i>Vincales</i> , 183	<i>Zanoniaceae</i> , 224
<i>Violaceae</i> , 206	<i>Zanthoxylaceae</i> , 316
<i>Violales</i> , 71	<i>Zeaceae</i> , 669
<i>Violanae</i> , U	<i>Zephyranthaceae</i> , 623
<i>Viscaceae</i> , 249	<i>Zingiberaceae</i> , 674
<i>Vitaceae</i> , 390	<i>Zingiberales</i> , 242
<i>Vitales</i> , 145	<i>Zingiberanae</i> , CCC
<i>Vitanae</i> , FF	<i>Zingiberidae</i> , XIII
<i>Viticaceae</i> , 546	<i>Ziziphaceae</i> , 185
<i>Vivianiaceae</i> , 304	<i>Zosteraceae</i> , 571
<i>Vochysiaceae</i> , 311	<i>Zosterales</i> , 207
<i>Vochysiales</i> , 117	<i>Zygophyllaceae</i> , 291

ACKNOWLEDGMENT

Thanks are extended to B.E. Dutton and Dr. J.H. Wiersema for reviewing the manuscript. Work on ordinal and plant family names in Europe was supported by National Science Foundation Grant BSR-8812816. This is Scientific Article A-6415, Contribution No. 8608, of the Maryland Agricultural Experiment Station and Cooperative Extension Service.

LITERATURE CITED

- Bedell, H.G. & J.L. Reveal. 1982a. Amended outlines and indices for six recently published systems of angiosperm classification. *Phytologia* 51:65-156.
- _____. 1982b. A synoptical review of a revised classification of Liliopsida (Magnoliophyta) as proposed by Dahlgren and Clifford. *Phytologia* 52:179-183.
- Benson, L. 1957. *Plant Classification*. D.C. Heath & Co., Boston, Massachusetts.
- Boivin, B.B. 1956. Les familles des Trachéophytes. *Bull. Soc. Bot. France* 103:490-505.
- Brummitt, R.K. (comp.). 1992. *Vascular Plant Families and Genera*. Kew, Great Britain.
- Cronquist, A. 1957. Outline of a new system of families and orders of dicotyledons. *Bull. Jard. Bot. Bruxelles* 27:13-40.
- _____. 1961. *Introductory Botany*. Harper & Brothers, New York, New York.
- _____. 1968. *The Evolution and Classification of Flowering Plants*. Houghton & Mifflin, Boston, Massachusetts.
- _____. 1981. *An Integrated System of Classification of Flowering Plants*. Columbia University Press, New York, New York.
- _____. 1988. *The Evolution and Classification of Flowering Plants*, 2nd edit. New York Botanical Garden, Bronx, New York.
- _____, A. Takhtajan, & W. Zimmermann. 1966. On the higher taxa of Embryobionta. *Taxon* 15:129-134.
- Dahlgren, G. 1989a. "The last Dahlgrenogram: System of classification of the dicotyledons," pp. 249-260. In: K. Tan, R.R. Mill, & T.S. Elias (eds.), *Plant Taxonomy, Phytogeography and Related Subjects*. Edinburgh University Press, Edinburgh, Great Britain.
- _____. 1989b. An updated angiosperm classification. *J. Linn. Soc., Bot.* 100:197-203.

- Dahlgren, R.M.T. 1975. A system of classification of the angiosperms to be used to demonstrate the distribution of characters. *Bot. Not.* 128:119-147.
- _____. 1980. A revised system of classification of the angiosperms. *Bot. J. Linn. Soc.* 80:91-124.
- _____. 1983. General aspects of angiosperm evolution and macrosystematics. *Nordic J. Bot.* 3:119-149.
- _____. & K. Bremer. 1985. Major clades of the angiosperms. *Cladistics* 1:349-368.
- _____. & H.T. Clifford. 1982. *The Monocotyledons: A Comparative Study*. Academic Press, London, Great Britain.
- _____. & P.F. Yeo. 1985. *The Families of the Monocotyledons: Structure, Evolution, and Taxonomy*. Springer-Verlag, New York, New York.
- _____. S. Rosendal-Jensen, & B.J. Nielsen. 1981. "A revised classification of the angiosperms with comments on correlation between chemical and other characters," pp. 149-204. In: D.A. Young & D.S. Seigler (eds.), *Phytochemistry and Angiosperm Phylogeny*. Praeger Publishers, New York, New York.
- Deyl, M. 1955. The evolution of the plants and the taxonomy of the monocotyledons. *Acta Mus. Nat. Pragae ser. B*, 11(6):1-143.
- Dostál, J. 1957. *Botanická Nomenklatura*. Ceskoslovenská Akademie ved, Praha, Czechoslovakia.
- Ehrendorfer, F. 1983. *Samenpflanzen. Strasburger's Lehrbuch der Botanik*. Gustav Fischer Verlag, Stuttgart, Germany.
- Engler, A. 1964. *Syllabus der Pflanzenfamilien*. 12th ed. Herausgegeben von H. Melchior. Band II, Angiospermen. Gebrüder Borntraeger, Berlin, Germany.
- Erdtman, G. 1952. *Pollen Morphology and Plant Taxonomy: Angiosperms*. Almqvist & Wiksell, Stockholm, Sweden.
- _____. 1966. *Pollen Morphology and Plant Taxonomy: Angiosperms*. Almqvist & Wiksell, Stockholm, Sweden.
- Gibbs, R.D. 1974. *Chemotaxonomy of Flowering Plants*. 4 vols. McGill-Queen's University Press, Montreal, Canada.

- Goldberg, A. 1986. Classification, evolution, and phylogeny of the families of dicotyledons. *Smithsonian Contr. Bot.* 58.
- _____. 1989. Classification, evolution, and phylogeny of the families of monocotyledons. *Smithsonian Contr. Bot.* 71.
- Greuter, W. 1991. Proposals to amend the Code, and report of Special Committee 6B: Provisions for granting nomenclatural protection to listed names in current use. *Taxon* 40:669-677.
- Greuter, W., H.M. Burdet, W.G. Chaloner, V. Demoulin, R. Grolle, D.L. Hawksworth, D.H. Nicolson, P.C. Silva, F.A. Stafleu, E.G. Voss, & J. McNeill (editors.). 1988. *International Code of Botanical Nomenclature*, adopted by the Fourteenth International Botanical Congress, Berlin, July-August 1987. *Regnum Veg.* 118.
- Gunn, C.R., J.H. Wiersema, C.A. Ritchie, J.H. Kirkbride, Jr. 1992. Families and genera of spermatophytes recognized by the Agricultural Research Service. *U.S.D.A. Techn. Bull.* 1796.
- Heywood, V.H. (ed.). 1978. *Flowering Plants of the World*. Elsevier, Oxford, Great Britain.
- Huber, H. 1969. Die Samenmerkmale und Verwandtschaftsverhältnisse der Liliifloren. *Mitt. Bot. Staats. München* 8:219-538.
- Hutchinson, J. 1959. *The Families of Flowering Plants*, 2nd ed. Clarendon Press, Oxford, Great Britain.
- _____. 1969. *Evolution and Phylogeny of Flowering Plants*. Academic Press, London, Great Britain.
- _____. 1973. *The Families of Flowering Plants Arranged According to a New System Based on their Probable Phylogeny*, 3rd ed. Clarendon Press, Oxford, Great Britain.
- Kimura, Y. 1953. The system and the phylogenetic tree of plants. *J. Jap. Bot.* 28:97-104.
- _____. 1956. Système et phylogénie des monocotylédones. *Notul. Syst. Paris* 15:137-159.
- Mabberley, D.J. 1987. *The Plant-Book: A Portable Dictionary of the Higher Plants*. Cambridge University Press, Cambridge, Great Britain.
- Novák, F.A. 1954. Systém angiosperm. *Preslia* 26:337-364.

- _____. 1961. *Vyssi Rostliny*. Ceskoslovenská Akademie ved, Praha, Czechoslovakia.
- Pulle, A.A. 1952. *Compendium van de Terminologie, Nomenclatuur en Systematik der Zaadplanten*. Bohn, Scheltema, & Holkema, Utrecht, Netherlands.
- Rendle, A.B. 1963. *The Classification of Flowering Plants*. Cambridge University Press, Cambridge, Great Britain.
- Reveal, J.L. 1992a. Validation of subclass and superordinal names in Magnoliophyta. *Novon* 2:235-237.
- _____. 1992b. Validation of ordinal names of extant vascular plants. *Novon* 2:238-240.
- _____. 1993. Automatically typified superordinal and ordinal names for the flowering plants (Magnoliophyta) as recognized by Thorne (1992) and arranged following the principles of priority, autonomy, and the substitution of alternative names. *Phytologia* 74:193-202.
- _____. & R.D. Hoogland. 1991. Protected plant family names - a new list for consideration. *Regnum Veg.* 123:243-249.
- Rouleau, E. 1981. *Guide to the Generic Names Appearing in the Index Kewensis and its Fifteen Supplements*. Chatelain, Lac de Brome, Canada.
- Soó, R. 1953. Die modernen Grundsätze der Phylogenie im neuen System der Blütenpflanzen. *Acta Biol. Acad. Sci. Hungaricae* 4:257-306.
- _____. 1961. Present aspect of evolutionary history of Telomophyta. *Ann. Univ. Sci. Budapest, Biol.* 4:167-178.
- _____. 1967. Die modernen Systeme der Angiospermen. *Acta Bot. Acad. Sci. Hungaricae* 13:201-233.
- Stebbins, G.L. 1974. *Flowering Plants: Evolution Above the Species Level*. Belknap Press, Cambridge, Massachusetts.
- Takhtajan, A.L. 1959. *Die Evolution der Angiospermen*. Gustav Fischer, Jena, Germany.
- _____. 1967. *Systema et Phylogenia Magnoliophytorum*. Officna Editoria "Nauka", Leningrad, U.S.S.R.
- _____. 1969. *Flowering Plants: Origin and Dispersal*. Oliver & Boyd, Edinburgh, Great Britain.

- _____. 1970. *Origin and Dispersal of the Flowering Plants*. Officna Editoria "Nauka", Leningrad, U.S.S.R.
- _____. 1973. *Evolution und Ausbreitung der Blütenpflanzen*. Gustav Fischer, Jena, Germany.
- _____. 1980. Outline of the classification of flowering plants (Magnoliophyta). Bot. Rev. 46:225-359.
- _____. 1983. "The systematic arrangement of dicotyledonous families," pp. 180-201. In: C.R. Metcalfe & L. Chalk, *Anatomy of the Dicotyledons*, 2nd ed. Volume II. Clarendon Press, Oxford, Great Britain.
- _____. 1985. *Anatomia Seminum Comparativa. Tomus I. Liliopsida seu Monocotyledones*. Officna Editoria "Nauka", Leningrad, U.S.S.R.
- _____. 1986. *Floristic Regions of the World*. University of California Press, Berkeley, California.
- _____. 1987. *Systema Magnoliophytorum*. Officna Editoria "Nauka", Leningrad, U.S.S.R.
- Thorne, R.F. 1968. Synopsis of a putative phylogenetic classification of the flowering plants. Aliso 6:57-66.
- _____. 1974. A phylogenetic classification of the Annoniflorae. Aliso 8:147-209.
- _____. 1976. A phylogenetic classification of the Angiospermae. Evol. Biol. 9:35-106.
- _____. 1977. Some realignments in the Angiospermae. Nordic J. Bot. 3: 85-117.
- _____. 1981. "Phytochemistry and angiosperm phylogeny: A summary statement," pp. 233-295. In: D.A. Young & D.S. Seigler (eds.), *Phytochemistry and Angiosperm Phylogeny*. Praeger Publishers, New York, New York.
- _____. 1983. Proposed new realignments in the angiosperms. Nordic J. Bot. 3:85-117.
- _____. 1992a. An updated phylogenetic classification of the flowering plants. Aliso 13:365-389.

_____. 1992b. Classification and geography of the flowering plants. Bot. Rev. 58:225-348.

Willis, J.C. 1973. *A Dictionary of the Flowering Plants and Ferns*, 8th ed. Revised by H.K. Airy Shaw. Cambridge University Press, London, Great Britain.